

# 福島県原子力発電所周辺環境放射能測定結果（速報）

平成29年度（平成30年3月）測定分

## 1 測定項目

### (1) 空間放射線

項目	地点数	測定頻度	実施機関
空間線量率	39	連続	環境創造センター
空間積算線量	64（結果は3ヵ月毎）	3ヵ月積算	

### (2) 環境試料

区分	試料名	地点数	採取頻度	採取回数 (3月)	測定試料数(3月)						実施機関	
					全β 連続 全α全β	γ	<sup>131</sup> I	<sup>3</sup> H	Sr	Pu		Am,Cm
大気	大気浮遊じん	17	毎月	1		17						環境創造センター
		9		1		9						
		16	毎週	5		73						
降下物	降下物	10	毎月	1		10						
陸土表土	土	15	年2回	0		0						
			年1回	0				0	0	0		
陸水上水	水	11	年4回	0		0		0				
			年1回	0				0	0			
海水	水	6(*1)	毎月	1	6	6		6	6	6		
		2(*2)	年4回	0	0	0		0				
			年1回	0				0	0			
海底土	海底土	6(*1)	年4回	0		0			0	0		
		2(*2)	年4回	0		0						
			年1回	0				0	0			
指標植物	松葉	15	年4回	0		0	0					

\*1 東京電力ホールディングス（株）福島第一原子力発電所周辺海域

\*2 東京電力ホールディングス（株）福島第二原子力発電所周辺海域

## 2 測定項目（比較対照地点調査）

### (1) 空間放射線

項目	地点数	測定頻度	実施機関
空間線量率	3	連続	環境創造センター

### (2) 環境試料

区分	試料名	地点数	採取頻度	採取回数 (3月)	測定試料数(3月)						実施機関
					全β	γ	<sup>131</sup> I	<sup>3</sup> H	Sr	Pu	
大気	大気浮遊じん	7	毎月	1		7					環境創造センター
	大気中水分	1		1			1				
降下物	降下物	2	毎月	1		2					
陸土表土	土	7	年1回	0		0		0	0	0	
陸水上水	水	2	年1回	0		0		0	0	0	
海水	水	1	年1回	0	0	0		0	0	0	
海底土	海底土	1	年1回	0		0			0	0	
指標植物	松葉	5	年4回	1		2	2				

(注)次ページ以降の黄色網掛け部分が、今回の公表分です。

第5 原子力発電所周辺環境放射能測定値一覧表

5-1 空間放射線

5-1-1 空間線量率

単位:線量率:μSv/h 測定時間:h  
上段:平均値 (下段):最大値

No.	測定地点名	H29.4		5		6		7		8		9		10		11		12		H30.1		2		3	
		線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間
1	いわき市小川	54 (65)	720	51 (67)	744	50 (66)	720	51 (80)	744	50 (63)	744	52 (67)	720	53 (87)	744	54 (70)	713	54 (68)	744	54 (66)	744	55 (63)	672	54 (76)	744
2	いわき市久之浜	88 (94)	720	88 (99)	744	88 (96)	720	87 (105)	744	86 (92)	744	86 (102)	720	85 (105)	744	85 (94)	712	84 (97)	744	84 (95)	744	84 (98)	672	82 (95)	744
3	いわき市千代田	59 (70)	720	59 (79)	744	59 (72)	720	59 (87)	744	58 (70)	744	58 (76)	720	58 (71)	744	58 (71)	720	57 (82)	739	53 (69)	744	51 (58)	672	55 (69)	744
4	いわき市川前	69 (84)	720	70 (84)	744	69 (82)	720	70 (103)	744	68 (87)	744	68 (88)	720	68 (82)	744	69 (83)	713	69 (88)	744	67 (78)	744	67 (71)	672	67 (103)	744
5	田村市都路馬洗戸	97 (107)	720	98 (113)	744	97 (109)	720	97 (133)	744	94 (109)	744	94 (108)	720	93 (107)	744	93 (108)	713	89 (109)	744	81 (106)	744	73 (91)	672	88 (103)	744
6	広野町二ツ沼	100 (126)	720	100 (120)	744	99 (115)	720	98 (124)	744	95 (119)	744	96 (123)	720	94 (124)	737	95 (123)	720	95 (130)	744	93 (107)	744	94 (111)	672	93 (125)	744
7	広野町小滝立	93 (106)	720	94 (114)	744	93 (101)	720	92 (112)	744	90 (102)	744	90 (111)	720	89 (119)	744	90 (103)	714	89 (101)	744	88 (102)	744	89 (97)	672	88 (111)	744
8	楡葉町山田岡	70 (82)	720	71 (88)	744	70 (85)	720	72 (92)	743	70 (83)	741	69 (89)	720	68 (95)	744	68 (85)	720	67 (84)	744	67 (81)	743	67 (82)	672	67 (81)	744
9	楡葉町木戸ダム	114 (129)	720	116 (131)	744	115 (125)	720	115 (140)	744	111 (126)	744	110 (130)	720	109 (128)	744	108 (122)	714	105 (128)	744	102 (127)	744	104 (111)	672	103 (141)	744
10	楡葉町繁岡	218 (227)	720	214 (233)	744	214 (227)	720	213 (235)	741	208 (226)	744	208 (232)	720	207 (232)	744	211 (224)	720	212 (236)	744	205 (225)	741	201 (210)	672	197 (212)	744
11	楡葉町松館	243 (254)	720	240 (266)	744	235 (248)	720	208 (239)	744	199 (216)	744	200 (231)	720	197 (223)	738	199 (211)	720	197 (224)	744	194 (209)	744	197 (208)	672	192 (219)	744
12	楡葉町波倉	284 (292)	720	284 (296)	744	282 (293)	720	278 (297)	741	271 (281)	744	271 (288)	720	269 (279)	744	271 (282)	720	273 (290)	744	265 (282)	741	259 (271)	672	255 (267)	744

No.	測定年月		H29.4		5		6		7		8		9		10		11		12		H30.1		2		3		
	測定項目	測定地点名	測定時間	繰上率	測定時間	繰上率	測定時間	繰上率	測定時間	繰上率	測定時間	繰上率	測定時間	繰上率	測定時間	繰上率	測定時間	繰上率	測定時間	繰上率	測定時間	繰上率	測定時間	繰上率	測定時間	繰上率	
			測定時間	繰上率	測定時間	繰上率	測定時間	繰上率	測定時間	繰上率	測定時間	繰上率	測定時間	繰上率	測定時間	繰上率	測定時間	繰上率	測定時間	繰上率	測定時間	繰上率	測定時間	繰上率	測定時間	繰上率	
13		富岡町 上郡山	327 (338)	326 (344)	744	321 (333)	316 (335)	740	740	302 (316)	741	305 (319)	720	720	300 (312)	744	308 (318)	720	744	309 (321)	744	299 (320)	741	293 (300)	672	283 (306)	744
14		富岡町 下郡山	243 (257)	242 (269)	744	231 (256)	234 (258)	710	744	228 (241)	744	230 (250)	720	720	219 (235)	737	220 (232)	720	744	220 (243)	744	215 (231)	740	215 (222)	672	211 (226)	744
15		富岡町 深谷*1	201 (218)	199 (230)	744	195 (220)	198 (224)	744	744	192 (206)	744	188 (215)	718	720	179 (197)	744	182 (199)	720	744	177 (205)	744	171 (195)	744	173 (185)	672	170 (190)	744
16		富岡町 富岡	199 (212)	198 (222)	744	196 (213)	195 (217)	741	741	188 (199)	744	188 (208)	720	720	183 (197)	744	182 (197)	720	744	181 (204)	744	175 (195)	741	171 (177)	672	167 (182)	744
17		富岡町 夜の森	1,090 (1,140)	1,080 (1,130)	744	1,060 (1,110)	1,060 (1,110)	742	744	1,030 (1,100)	741	1,000 (1,060)	720	720	880 (971)	744	565 (873)	720	738	472 (504)	788	445 (468)	742	426 (451)	672	407 (424)	744
18		川内村 下川内	216 (225)	216 (233)	744	214 (228)	201 (220)	744	744	184 (200)	744	173 (197)	720	720	148 (163)	743	147 (157)	713	744	144 (166)	744	138 (162)	744	138 (151)	672	142 (165)	744
19		大熊町 向畑	1,680 (1,730)	1,660 (1,730)	744	1,610 (1,670)	1,570 (1,640)	744	744	1,520 (1,580)	744	1,520 (1,570)	720	720	1,480 (1,550)	737	1,500 (1,520)	720	744	1,480 (1,500)	744	1,430 (1,490)	744	1,450 (1,470)	672	1,400 (1,470)	744
20		大熊町 熊川*1	2,190 (2,330)	2,220 (2,380)	744	2,220 (2,380)	2,270 (2,430)	744	744	2,240 (2,400)	744	2,000 (2,320)	718	720	1,910 (2,080)	744	1,940 (2,030)	720	744	1,860 (1,970)	744	1,770 (1,950)	744	1,810 (1,930)	672	1,800 (1,940)	744
21		大熊町 南台*2	5,670 (5,800)	5,630 (5,830)	744	5,450 (5,640)	5,330 (5,550)	744	744	5,110 (5,340)	744	5,100 (5,230)	720	720	4,930 (5,220)	738	5,050 (5,150)	720	742	5,010 (5,080)	742	4,790 (5,070)	744	4,890 (4,960)	672	4,730 (4,930)	744
22		大熊町 大野	1,380 (1,400)	1,370 (1,400)	744	1,340 (1,370)	1,310 (1,350)	743	743	1,280 (1,310)	744	1,280 (1,300)	720	720	1,240 (1,290)	737	1,240 (1,250)	720	744	1,230 (1,240)	744	1,190 (1,240)	744	1,200 (1,220)	672	1,170 (1,210)	744
23		大熊町 夫沢*2	9,540 (9,760)	9,520 (9,930)	744	9,220 (9,530)	8,980 (9,430)	744	744	8,600 (9,140)	743	8,580 (8,800)	720	720	8,260 (8,750)	737	8,410 (8,580)	720	744	8,360 (8,480)	744	7,960 (8,460)	744	8,160 (8,340)	672	7,950 (8,340)	743
24		双葉町 山田*2	5,320 (5,510)	5,280 (5,640)	744	5,060 (5,350)	5,010 (5,360)	744	744	4,710 (5,050)	744	4,700 (4,960)	720	720	4,370 (4,870)	684	4,610 (4,770)	720	744	4,590 (4,690)	744	4,370 (4,670)	744	4,540 (4,640)	672	4,300 (4,630)	744
25		双葉町 郡山	493 (504)	486 (501)	744	474 (490)	466 (482)	744	744	453 (466)	743	454 (464)	720	720	444 (461)	739	446 (458)	720	744	442 (454)	744	426 (448)	744	432 (446)	672	420 (439)	743
26		双葉町 新山	1,760 (1,840)	1,760 (1,890)	744	1,700 (1,780)	1,690 (1,820)	744	744	1,590 (1,720)	742	1,590 (1,670)	720	720	1,530 (1,640)	739	1,560 (1,600)	720	744	1,550 (1,570)	744	1,490 (1,580)	744	1,520 (1,560)	672	1,480 (1,560)	744
27		双葉町 上羽	654 (667)	647 (675)	744	623 (653)	607 (634)	744	744	586 (607)	744	590 (611)	720	720	579 (604)	738	595 (608)	720	744	594 (604)	744	580 (605)	744	585 (598)	672	564 (594)	744

No.	測定年月		H29.4		5		6		7		8		9		10		11		12		H30.1		2		3	
	測定項目	測定地点名	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間
28	浪江町	請戸*1	124 (143)	720	127 (140)	744	125 (142)	720	127 (150)	744	124 (143)	744	120 (136)	720	117 (141)	744	117 (138)	720	114 (130)	744	109 (131)	744	113 (125)	672	111 (129)	744
29	浪江町	柳瀬*1	84 (98)	720	86 (102)	744	84 (99)	720	86 (120)	744	84 (100)	744	84 (100)	717	81 (111)	744	82 (103)	720	80 (98)	744	77 (105)	744	79 (90)	672	79 (100)	744
30	浪江町	浪江	173 (181)	720	173 (181)	744	170 (183)	720	171 (189)	744	166 (179)	742	165 (174)	720	160 (178)	739	161 (174)	720	158 (172)	744	153 (167)	744	155 (163)	672	154 (171)	744
31	浪江町	幾世橋	112 (125)	720	112 (124)	744	109 (120)	720	110 (133)	740	106 (117)	744	105 (117)	720	103 (123)	740	103 (116)	720	101 (116)	744	99 (115)	744	99 (106)	672	98 (112)	744
32	浪江町	大柿ダム	890 (912)	720	890 (915)	744	884 (905)	720	893 (924)	744	877 (905)	744	875 (896)	720	842 (881)	744	832 (859)	713	811 (830)	740	786 (823)	744	802 (822)	672	797 (818)	744
33	浪江町	南津島	1,350 (1,420)	720	1,370 (1,450)	744	1,350 (1,410)	720	1,330 (1,430)	744	1,280 (1,370)	744	1,290 (1,340)	720	1,250 (1,350)	744	1,270 (1,340)	714	1,170 (1,230)	744	1,040 (1,180)	744	993 (1,140)	672	1,130 (1,190)	744
34	葛尾村	夏湯	162 (172)	720	162 (177)	744	161 (179)	720	161 (189)	744	156 (168)	744	156 (175)	720	154 (179)	744	155 (168)	712	153 (168)	744	142 (167)	744	140 (161)	672	147 (169)	744
35	南相馬市	泉沢	135 (147)	720	135 (152)	744	132 (148)	720	133 (162)	744	126 (144)	744	127 (143)	720	125 (149)	744	126 (139)	714	125 (143)	744	122 (141)	744	124 (135)	672	121 (149)	744
36	南相馬市	横川ダム	273 (286)	720	275 (288)	744	272 (283)	720	272 (293)	744	261 (276)	744	264 (273)	720	259 (274)	744	262 (271)	713	250 (263)	744	242 (264)	744	245 (256)	672	242 (265)	744
37	南相馬市	蘆浜	46 (66)	720	46 (72)	744	46 (66)	720	47 (88)	741	45 (62)	744	46 (63)	720	46 (65)	744	46 (60)	720	46 (66)	744	46 (65)	741	46 (53)	672	46 (74)	744
38	飯館村	伊丹沢	234 (249)	720	236 (251)	744	239 (258)	720	232 (255)	739	225 (245)	744	232 (242)	720	241 (288)	744	183 (246)	720	177 (198)	744	158 (204)	740	148 (172)	672	166 (183)	744
39	川俣町	山木屋	170 (185)	720	171 (187)	744	169 (181)	720	163 (193)	740	157 (169)	744	158 (168)	720	155 (170)	744	156 (181)	720	147 (164)	744	126 (152)	740	120 (140)	672	144 (161)	744

(注) 1 No.の網掛け部分は東京電力株式会社福島第一原子力発電所から半径5km未満の地域

2 \*1 可搬型モニタリングポストによる測定

3 \*2 空間線量率の測定はモニタリングポスト (NaIシンチレーション検出器、単位：ナノグレイ/時) により行ったが、概ね10,000nGy/h (10μGy/h)を超えた場合は、併設している高線量用モニタリングポスト (電離箱検出器、単位：ナノグレイ/時) の測定値で補完した。

5-1-2 空間積算線量

(単位 mGy)

No.	測定地点名	測定期間		H29. 4. 13 ~H29. 7. 13		H29. 7. 13 ~H29. 10. 19		H29. 10. 19 ~H30. 1. 18		H30. 1. 18 ~H30. 4. 12	
		測定項目	積算線量	測定 日数	積算線量	測定 日数	積算線量	測定 日数	積算線量	測定 日数	積算線量
1	いわき市 石 森		0.23 (0.22)	91	0.24 (0.22)	98	0.22 (0.21)	91	0.20 (0.21)	84	
2	いわき市 西 倉		0.28 (0.28)	91	0.30 (0.28)	98	0.27 (0.26)	91	0.24 (0.26)	84	
3	いわき市 大 野		0.22 (0.22)	91	0.24 (0.22)	98	0.22 (0.22)	91	0.20 (0.22)	84	
4	いわき市 福 岡		0.25 (0.24)	91	0.26 (0.24)	98	0.24 (0.24)	91	0.22 (0.24)	84	
5	いわき市 大 久		0.23 (0.23)	91	0.25 (0.23)	98	0.23 (0.23)	91	0.21 (0.22)	84	
6	いわき市 末 統		0.33 (0.33)	91	0.35 (0.32)	98	0.31 (0.31)	91	0.28 (0.30)	84	
7	いわき市 上 小川		0.36 (0.35)	91	0.38 (0.35)	98	0.34 (0.33)	91	0.30 (0.32)	84	
8	いわき市 志 田 名		0.41 (0.41)	91	0.43 (0.39)	98	0.38 (0.37)	91	0.33 (0.35)	84	
9	いわき市 小 白 井		0.22 (0.22)	91	0.23 (0.22)	98	0.21 (0.21)	91	0.18 (0.19)	84	
10	田村市 場 々		0.39 (0.39)	91	0.41 (0.38)	98	0.36 (0.36)	91	0.32 (0.34)	84	
11	田村市 古 道		0.25 (0.25)	91	0.28 (0.26)	98	0.25 (0.25)	91	0.22 (0.24)	84	
12	田村市 岩 井 沢		0.21 (0.21)	91	0.23 (0.21)	98	0.21 (0.20)	91	0.19 (0.20)	84	
13	広野町 下 浅 見 川		0.23 (0.22)	91	0.25 (0.23)	98	0.22 (0.22)	91	0.20 (0.21)	84	
14	広野町 篝 平		0.28 (0.28)	91	0.30 (0.27)	98	0.27 (0.27)	91	0.24 (0.26)	84	
15	檜葉町 山 田 岡		0.22 (0.22)	91	0.24 (0.22)	98	0.22 (0.22)	91	0.20 (0.21)	84	
16	檜葉町 乙 次 郎		0.28 (0.27)	91	0.29 (0.27)	98	0.26 (0.26)	91	0.24 (0.25)	84	
17	檜葉町 井 出		0.28 (0.28)	91	*3 *3	*3	0.28 (0.30)	86 <sup>*5</sup>	0.28 (0.30)	84	
18	檜葉町 上 繁 岡		0.43 (0.43)	91	0.45 (0.42)	98	0.40 (0.40)	91	0.37 (0.39)	84	
19	富岡町 太 田		0.58 (0.58)	91	0.62 (0.57)	98	0.55 (0.54)	91	0.50 (0.54)	84	
20	富岡町 赤 木		0.50 (0.49)	91	0.53 (0.49)	98	0.47 (0.46)	91	0.42 (0.45)	84	
21	富岡町 小 良 ヶ 浜		4.1 (4.1)	91	4.2 (3.8)	98	3.6 (3.5)	91	3.1 (3.3)	84	
22	富岡町 夜 の 森 北		1.8 (1.8)	91	1.7 (1.6)	98	0.92 (0.91)	91	0.72 (0.77)	84	

(単位 mGy)

No.	測定地点名	測定項目	H29. 4. 13 ~H29. 7. 13		H29. 7. 13 ~H29. 10. 19		H29. 10. 19 ~H30. 1. 18		H30. 1. 18 ~H30. 4. 12	
			積算線量	測定 日数	積算線量	測定 日数	積算線量	測定 日数	積算線量	測定 日数
23	富岡町	上手岡	0.79 (0.79)	91	0.76 (0.70)	98	0.67 (0.66)	91	0.60 (0.65)	84
24	川内村	三ツ右	0.69 (0.68)	91	0.71 (0.65)	98	0.63 (0.62)	91	0.55 (0.59)	84
25	川内村	貝ノ坂	1.0 (1.0)	91	1.1 (0.98)	98	0.96 (0.95)	91	0.83 (0.89)	84
26	川内村	五枚沢	0.35 <sup>*1</sup> (0.35 <sup>*1</sup> )	91	0.30 (0.30)	91 <sup>*1</sup>	0.29 (0.28)	91	0.26 (0.28)	84
27	川内村	上川内	0.22 (0.22)	91	0.24 (0.22)	98	0.22 (0.22)	91	0.20 (0.21)	84
28	大熊町	大川原	0.45 (0.44)	91	0.47 (0.43)	98	0.42 (0.41)	91	0.37 (0.40)	84
29	大熊町	旭ヶ丘	0.53 (0.52)	91	0.56 (0.52)	98	0.49 (0.49)	91	0.43 (0.46)	84
30	大熊町	野上	3.8 (3.8)	91	4.1 (3.8)	98	3.6 (3.5)	91	3.2 (3.4)	84
31	大熊町	熊川	8.3 (8.2)	91	8.4 (7.7)	98	7.4 (7.4)	91	6.6 (7.1)	84
32	大熊町	大野	10 (9.9)	91	9.9 (9.1)	98	8.8 (8.7)	91	7.9 (8.5)	84
33	大熊町	夫沢	25 (25)	91	26 (24)	98	22 (22)	91	20 (22)	84
34	大熊町	湯の神	2.6 (2.6)	91	2.7 (2.5)	98	2.4 (2.4)	91	2.2 (2.3)	84
35	大熊町	長者原	7.3 (7.2)	91	7.6 (7.0)	98	6.3 (6.3)	91	5.7 (6.1)	84
36	双葉町	清戸迫	1.6 (1.6)	91	1.6 (1.5)	98	1.4 (1.4)	91	1.3 (1.4)	84
37	双葉町	郡山	1.1 (1.1)	91	1.1 <sup>*2</sup> (1.1 <sup>*2</sup> )	98	0.99 (0.98)	91	0.86 (0.93)	84
38	双葉町	長塚	3.3 (3.2)	91	3.4 (3.1)	98	3.0 (3.0)	91	2.6 (2.8)	84
39	浪江町	井手	17 (17)	91	18 (16)	98	16 (16)	91	14 (15)	84
40	浪江町	請戸	0.34 (0.33)	91	0.35 (0.32)	98	0.32 (0.32)	91	0.28 (0.30)	84
41	浪江町	小野田	1.2 (1.2)	91	1.3 (1.2)	98	1.1 (1.1)	91	1.0 (1.1)	84
42	浪江町	幾世橋	0.34 (0.34)	91	0.37 (0.34)	98	0.35 (0.34)	91	0.32 (0.34)	84
43	浪江町	疋宿	0.75 (0.74)	91	0.79 (0.73)	98	0.71 (0.70)	91	0.63 (0.68)	84
44	浪江町	皇曾根	9.4 (9.3)	91	9.6 (8.8)	98	8.4 (8.3)	91	7.4 (7.9)	84

(単位 mGy)

No.	測定地点名	測定期間		H29. 4. 13 ~H29. 7. 13		H29. 7. 13 ~H29. 10. 19		H29. 10. 19 ~H30. 1. 18		H30. 1. 18 ~H30. 4. 12	
		測定項目	積算線量	測定 日数	積算線量	測定 日数	積算線量	測定 日数	積算線量	測定 日数	積算線量
45	浪江町 津島		4.1 (4.1)	91	4.2 (3.8)	98	3.6 (3.5)	91	3.0 (3.2)	84	
46	葛尾村 天放		0.44 (0.44)	91	0.47 (0.43)	98	0.45 (0.45)	91	0.36 (0.39)	84	
47	葛尾村 落合		0.57 (0.56)	91	0.61 (0.56)	98	0.53 (0.52)	91	0.41 (0.44)	84	
48	葛尾村 野行		3.4 (3.4)	91	3.5 (3.2)	98	3.0 (3.0)	91	2.6 (2.8)	84	
49	南相馬市 浦尻		0.27 (0.26)	91	0.28 (0.26)	98	0.25 (0.25)	91	0.23 (0.24)	84	
50	南相馬市 耳谷		0.31 (0.31)	91	0.33 (0.30)	98	0.30 (0.29)	91	0.27 (0.28)	84	
51	南相馬市 川房		1.3 (1.3)	91	1.3 (1.2)	98	1.1 (1.1)	91	1.0 (1.1)	84	
52	南相馬市 関場		0.59 (0.58)	91	0.62 (0.57)	98	0.56 (0.55)	91	0.50 (0.53)	84	
53	南相馬市 高		0.25 (0.25)	91	0.27 (0.25)	98	0.24 (0.24)	91	0.23 (0.24)	84	
54	南相馬市 大木戸		0.20 (0.19)	91	0.21 (0.20)	98	0.19 (0.19)	91	0.18 (0.19)	84	
55	南相馬市 晝浜		0.16 (0.16)	91	0.18 (0.16)	98	0.16 (0.16)	91	0.15 (0.16)	84	
56	南相馬市 大原		0.40 <sup>*2</sup> (0.39 <sup>*2</sup> )	91	0.44 (0.40)	98	0.39 (0.39)	91	0.35 (0.38)	84	
57	南相馬市 川子		0.29 (0.29)	91	0.31 (0.28)	98	0.27 (0.27)	91	0.24 (0.26)	84	
58	飯館村 蘇平		1.0 (0.98)	91	1.0 (0.96)	98	0.90 (0.89)	91	0.77 (0.82)	84	
59	飯館村 長泥		3.9 (3.9)	91	4.1 (3.7)	98	3.6 (3.5)	91	3.1 (3.3)	84	
60	飯館村 飯樋		0.69 (0.68)	91	0.72 (0.66)	98	0.63 (0.62)	91	0.55 (0.59)	84	
61	飯館村 白石		1.3 (1.2)	91	1.3 (1.2)	98	1.1 (1.1)	91	0.88 (0.95)	84	
62	飯館村 草野		1.1 (1.1)	91	1.1 (1.1)	98	1.0 (1.0)	91	0.85 (0.91)	84	
63	川俣町 山木屋坂下		1.1 (1.1)	91	1.1 (1.0)	98	0.96 (0.95)	91	0.80 (0.86)	84	
64	川俣町 山木屋		0.38 (0.38)	91	0.40 (0.37)	98	0.35 (0.34)	91	0.30 (0.32)	84	

注) 1 ( ) 内は90日換算値

2 No. の網掛け部分は東京電力株式会社福島第一原子力発電所から半径5km未満の地域

3 \*1 収納箱が移動されていたので参考値

4 \*2 収納箱が倒壊していたので参考値

5 \*3 線量計紛失により欠測

6 \*4 道路改修工事により地点を変更したことから、設置期間が短くなっている

7 \*5 線量計紛失後、再設置に時間を要したことから、設置期間が短くなっている

5-2 環境放射線

5-2-1 大気浮遊じん中の全アルファ放射能及び全ベータ放射能

No.	測定地点名	測定年月												単位: 線量率: Bq/m <sup>3</sup> 測定時間: h												
		H29.4		5		6		7		8		9		10		11		12		H30.1		2		3		
		測定 値	測定 時間	測定 値	測定 時間	測定 値	測定 時間	測定 値	測定 時間	測定 値	測定 時間	測定 値	測定 時間	測定 値	測定 時間	測定 値	測定 時間	測定 値	測定 時間	測定 値	測定 時間	測定 値	測定 時間	測定 値	測定 時間	
1	いわき市 <small>いわき市</small> 小坂川	全アルファ放射能	0.042 (0.27)	720	0.043 (0.23)	744	0.036 (0.26)	720	0.045 (0.20)	660	0.033 (0.19)	744	0.031 (0.15)	720	0.033 (0.13)	744	0.036 (0.12)	720	0.033 (0.18)	744	0.028 (0.17)	744	0.039 (0.20)	672	0.030 (0.16)	744
		全ベータ放射能	0.065 (0.34)	720	0.067 (0.29)	744	0.058 (0.32)	720	0.068 (0.29)	660	0.052 (0.24)	744	0.052 (0.19)	720	0.053 (0.16)	744	0.058 (0.16)	720	0.054 (0.22)	744	0.048 (0.22)	744	0.062 (0.24)	672	0.051 (0.21)	744
2	田村市 <small>たむら市</small> 都路馬渡戸	全アルファ放射能	0.016 (0.070)	720	0.018 (0.089)	690	0.017 (0.11)	660	0.017 (0.072)	732	0.011 (0.056)	744	0.014 (0.087)	720	0.013 (0.054)	744	0.013 (0.061)	720	0.009 (0.041)	744	0.004 (0.035)	744	0.005 (0.030)	672	0.012 (0.057)	744
		全ベータ放射能	0.038 (0.11)	720	0.042 (0.14)	690	0.038 (0.17)	660	0.040 (0.12)	732	0.031 (0.097)	744	0.036 (0.14)	720	0.035 (0.090)	744	0.034 (0.10)	720	0.029 (0.074)	744	0.022 (0.066)	744	0.024 (0.060)	672	0.033 (0.096)	744
3	広野町 <small>ひろの町</small> 小滝	全アルファ放射能	0.016 (0.061)	720	0.022 (0.089)	744	0.020 (0.10)	648	0.025 (0.13)	744	0.016 (0.079)	732	0.018 (0.075)	720	0.016 (0.054)	744	0.017 (0.054)	720	0.013 (0.045)	744	0.009 (0.048)	744	0.012 (0.049)	672	0.015 (0.059)	744
		全ベータ放射能	0.038 (0.10)	720	0.046 (0.14)	744	0.043 (0.16)	648	0.053 (0.20)	744	0.038 (0.13)	732	0.042 (0.13)	720	0.039 (0.096)	744	0.040 (0.10)	720	0.035 (0.086)	744	0.029 (0.085)	744	0.034 (0.092)	672	0.038 (0.10)	744
4	楢葉町 <small>のば町</small> 米ヶ谷	全アルファ放射能	0.024 (0.099)	720	0.028 (0.11)	732	0.027 (0.14)	720	0.030 (0.10)	684	0.024 (0.12)	744	0.024 (0.098)	708	0.024 (0.084)	744	0.025 (0.10)	636	0.018 (0.075)	744	0.011 (0.063)	744	0.015 (0.073)	672	0.021 (0.090)	744
		全ベータ放射能	0.046 (0.14)	720	0.052 (0.16)	732	0.050 (0.18)	720	0.053 (0.14)	684	0.045 (0.16)	744	0.045 (0.13)	708	0.046 (0.13)	744	0.047 (0.15)	636	0.038 (0.11)	744	0.029 (0.097)	744	0.034 (0.11)	672	0.043 (0.13)	744
5	楢葉町 <small>のば町</small> 蟹ヶ谷	全アルファ放射能	0.028 (0.19)	720	0.035 (0.23)	744	0.027 (0.23)	660	0.033 (0.20)	744	0.018 (0.18)	744	0.022 (0.18)	720	0.016 (0.12)	744	0.028 (0.14)	720	0.023 (0.11)	744	0.017 (0.15)	744	0.027 (0.20)	672	0.024 (0.16)	744
		全ベータ放射能	0.057 (0.33)	720	0.069 (0.40)	744	0.057 (0.37)	660	0.066 (0.34)	744	0.041 (0.31)	744	0.049 (0.30)	720	0.039 (0.22)	744	0.059 (0.25)	720	0.049 (0.19)	744	0.040 (0.26)	744	0.055 (0.33)	672	0.052 (0.26)	744
6	富岡町 <small>とみおか町</small> 富岡	全アルファ放射能	0.022 (0.13)	678	0.026 (0.14)	744	0.019 (0.14)	708	0.023 (0.17)	744	0.014 (0.082)	744	0.017 (0.088)	720	0.015 (0.061)	666	0.023 (0.086)	720	0.020 (0.091)	744	0.016 (0.099)	744	0.028 (0.12)	672	0.019 (0.10)	744
		全ベータ放射能	0.076 (0.39)	678	0.088 (0.40)	744	0.069 (0.40)	708	0.080 (0.49)	744	0.051 (0.24)	744	0.061 (0.26)	720	0.057 (0.19)	666	0.083 (0.26)	720	0.073 (0.28)	744	0.061 (0.30)	744	0.094 (0.36)	672	0.070 (0.30)	744
7	川内村 <small>かわうち村</small> 下川内	全アルファ放射能	0.034 (0.14)	708	0.035 (0.12)	732	0.033 (0.17)	720	0.038 (0.17)	672	0.028 (0.16)	732	0.032 (0.13)	708	0.032 (0.14)	744	0.038 (0.20)	720	0.027 (0.11)	744	0.013 (0.11)	744	0.017 (0.078)	672	0.031 (0.17)	732
		全ベータ放射能	0.058 (0.18)	708	0.060 (0.18)	732	0.057 (0.23)	720	0.063 (0.23)	672	0.049 (0.21)	732	0.056 (0.20)	708	0.056 (0.21)	744	0.063 (0.29)	720	0.050 (0.17)	744	0.031 (0.15)	744	0.036 (0.11)	672	0.054 (0.23)	732
8	大熊町 <small>おほくま町</small> 野	全アルファ放射能	0.018 (0.097)	720	0.018 (0.095)	744	0.017 (0.11)	708	0.021 (0.11)	744	0.011 (0.087)	744	0.016 (0.11)	720	0.012 (0.043)	696	0.018 (0.069)	720	0.012 (0.053)	744	0.008 (0.058)	744	0.013 (0.063)	672	0.014 (0.073)	744
		全ベータ放射能	0.072 (0.30)	720	0.075 (0.32)	744	0.070 (0.32)	708	0.084 (0.34)	744	0.053 (0.28)	744	0.066 (0.34)	720	0.058 (0.16)	696	0.075 (0.24)	720	0.056 (0.18)	744	0.046 (0.19)	744	0.060 (0.20)	672	0.064 (0.23)	744



No.	測定地点名	測定年月																								
		H28.4		5		6		7		8		9		10		11		12		H30.1		2		3		
	測定項目	測定値	測定時間	測定値	測定時間	測定値	測定時間	測定値	測定時間	測定値	測定時間	測定値	測定時間	測定値	測定時間	測定値	測定時間	測定値	測定時間	測定値	測定時間	測定値	測定時間	測定値	測定時間	
9	大瀬町 去 <sup>り</sup> と <sup>り</sup> 次 <sup>ぎ</sup>	全アルファ 放射能	0.018 (0.11)	720	0.021 (0.13)	732	0.016 (0.073)	684	0.021 (0.16)	744	0.011 (0.070)	744	0.018 (0.11)	720	0.015 (0.051)	696	0.020 (0.075)	720	0.014 (0.056)	744	0.010 (0.053)	744	0.016 (0.069)	672	0.016 (0.076)	744
	全ベータ 放射能	0.077 (0.35)	720	0.088 (0.42)	732	0.072 (0.25)	684	0.087 (0.51)	744	0.057 (0.24)	744	0.078 (0.38)	720	0.068 (0.19)	696	0.085 (0.26)	720	0.065 (0.19)	744	0.053 (0.18)	744	0.072 (0.23)	672	0.074 (0.25)	744	
10	双葉町 お <sup>び</sup> や <sup>ま</sup> 山	全アルファ 放射能	0.015 (0.073)	720	0.022 (0.11)	732	0.014 (0.068)	654	0.020 (0.13)	744	0.010 (0.056)	744	0.015 (0.092)	720	0.013 (0.046)	720	0.015 (0.047)	720	0.010 (0.034)	744	0.008 (0.037)	744	0.012 (0.051)	672	0.013 (0.046)	732
	全ベータ 放射能	0.035 (0.12)	720	0.045 (0.17)	732	0.033 (0.11)	654	0.042 (0.20)	744	0.026 (0.092)	744	0.034 (0.14)	720	0.030 (0.077)	720	0.034 (0.084)	720	0.026 (0.059)	744	0.023 (0.065)	744	0.029 (0.083)	672	0.032 (0.13)	732	
11	浪江町 幾 <sup>せ</sup> 上 <sup>じ</sup> 桶 <sup>づ</sup>	全アルファ 放射能	0.023 (0.088)	720	0.033 (0.20)	744	0.025 (0.14)	720	0.028 (0.15)	672	0.016 (0.091)	744	0.022 (0.13)	720	0.020 (0.080)	744	0.028 (0.12)	720	0.018 (0.059)	744	0.014 (0.068)	744	0.024 (0.096)	672	0.022 (0.094)	744
	全ベータ 放射能	0.042 (0.13)	720	0.056 (0.26)	744	0.044 (0.20)	720	0.049 (0.21)	672	0.033 (0.17)	744	0.042 (0.17)	720	0.039 (0.12)	744	0.050 (0.17)	720	0.038 (0.094)	744	0.032 (0.094)	744	0.044 (0.14)	672	0.042 (0.13)	744	
12	浪江町 大 <sup>だい</sup> 船 <sup>せん</sup> ダ <sup>た</sup> ム	全アルファ 放射能	0.032 (0.14)	708	0.038 (0.14)	744	0.036 (0.21)	624	0.043 (0.14)	744	0.030 (0.21)	744	0.038 (0.14)	720	0.034 (0.12)	744	0.045 (0.19)	720	0.034 (0.13)	744	0.026 (0.098)	744	0.032 (0.12)	672	0.030 (0.14)	744
	全ベータ 放射能	0.074 (0.25)	708	0.085 (0.26)	744	0.080 (0.35)	624	0.092 (0.24)	744	0.069 (0.36)	744	0.084 (0.25)	720	0.076 (0.21)	744	0.094 (0.32)	720	0.077 (0.23)	744	0.064 (0.18)	744	0.074 (0.21)	672	0.070 (0.24)	744	
13	鶴尾村 夏 <sup>なつ</sup> の <sup>な</sup> 湯 <sup>ゆ</sup>	全アルファ 放射能	0.061 (0.34)	720	0.068 (0.37)	732	0.055 (0.32)	672	0.060 (0.28)	732	0.031 (0.18)	744	0.045 (0.26)	720	0.039 (0.17)	744	0.055 (0.20)	720	0.038 (0.17)	744	0.021 (0.17)	744	0.019 (0.076)	672	0.045 (0.23)	744
	全ベータ 放射能	0.094 (0.44)	720	0.10 (0.49)	732	0.087 (0.44)	672	0.094 (0.39)	732	0.056 (0.25)	744	0.076 (0.36)	720	0.068 (0.25)	744	0.088 (0.28)	720	0.065 (0.23)	744	0.042 (0.23)	744	0.041 (0.12)	672	0.076 (0.34)	744	
14	藤相馬市 イ <sup>い</sup> サ <sup>さ</sup> ス <sup>す</sup> 次 <sup>ぎ</sup>	全アルファ 放射能	0.020 (0.095)	708	0.025 (0.10)	744	0.018 (0.080)	660	0.024 (0.11)	744	0.012 (0.061)	744	0.017 (0.090)	720	0.014 (0.051)	744	0.019 (0.056)	720	0.015 (0.045)	744	0.011 (0.064)	744	0.017 (0.077)	672	0.016 (0.065)	744
	全ベータ 放射能	0.041 (0.14)	708	0.048 (0.15)	744	0.038 (0.12)	660	0.045 (0.16)	744	0.029 (0.096)	744	0.036 (0.13)	720	0.033 (0.083)	744	0.040 (0.089)	720	0.034 (0.076)	744	0.029 (0.095)	744	0.036 (0.11)	672	0.035 (0.10)	744	
15	藤相馬市 い <sup>い</sup> ば <sup>ば</sup> 浜 <sup>はま</sup>	全アルファ 放射能	0.021 (0.12)	720	0.026 (0.13)	744	0.016 (0.10)	720	0.022 (0.11)	732	0.008 (0.052)	744	0.016 (0.091)	720	0.013 (0.057)	744	0.020 (0.073)	720	0.017 (0.073)	744	0.013 (0.084)	732	0.019 (0.078)	672	0.020 (0.11)	744
	全ベータ 放射能	0.080 (0.37)	720	0.095 (0.42)	744	0.065 (0.33)	720	0.084 (0.36)	732	0.040 (0.18)	744	0.066 (0.30)	720	0.056 (0.20)	744	0.079 (0.25)	720	0.069 (0.24)	744	0.057 (0.26)	732	0.075 (0.27)	672	0.079 (0.34)	744	
16	飯沼村 伊 <sup>い</sup> と <sup>と</sup> 丹 <sup>に</sup> 次 <sup>ぎ</sup>	全アルファ 放射能	0.013 (0.14)	720	0.016 (0.083)	744	0.015 (0.14)	708	0.012 (0.10)	720	0.006 (0.037)	744	0.010 (0.058)	720	0.011 (0.068)	732	0.010 (0.065)	720	0.006 (0.020)	744	0.003 (0.020)	732	0.004 (0.023)	672	0.010 (0.094)	744
	全ベータ 放射能	0.057 (0.40)	720	0.067 (0.26)	744	0.065 (0.45)	708	0.054 (0.32)	720	0.037 (0.13)	744	0.052 (0.20)	720	0.053 (0.22)	732	0.051 (0.21)	720	0.041 (0.13)	744	0.031 (0.078)	732	0.033 (0.090)	672	0.052 (0.29)	744	
17	川俣町 山 <sup>やま</sup> 木 <sup>き</sup> 屋 <sup>や</sup>	全アルファ 放射能	0.016 (0.096)	720	0.023 (0.16)	744	0.021 (0.10)	708	0.016 (0.14)	732	0.006 (0.027)	744	0.014 (0.087)	720	0.012 (0.058)	732	0.012 (0.083)	720	0.009 (0.038)	744	0.004 (0.027)	732	0.005 (0.026)	672	0.014 (0.12)	744
	全ベータ 放射能	0.068 (0.29)	720	0.091 (0.45)	744	0.084 (0.33)	708	0.070 (0.43)	732	0.044 (0.10)	744	0.066 (0.27)	720	0.060 (0.19)	732	0.061 (0.26)	720	0.051 (0.14)	744	0.037 (0.10)	732	0.040 (0.099)	672	0.068 (0.35)	744	

注) 1 No.の欄付け部分は東京電力株式会社福島第一原子力発電所から排出される放射性物質



No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )												
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce		
		H30. 3. 1 ~ H30. 4. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 012	ND

No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )																			
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce									
4	榑葉町 木戸ダム (連続ダストモニタ)	H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.011	ND	ND				
		H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	ND	ND	ND			
		H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	ND	ND	ND			
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	ND	ND	ND			
		H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	ND	ND	ND	ND		
		H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND	ND	ND	ND		
		H29.12. 1 ~ H30. 1. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H30. 1. 1 ~ H30. 2. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND	ND	ND	ND	ND	
		H30. 2. 1 ~ H30. 3. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H30. 3. 1 ~ H30. 4. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.027	0.18	ND	ND	ND	ND	
H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.043	0.29	ND	ND	ND	ND	ND		
H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	0.15	ND	ND	ND	ND	ND		
H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.028	0.17	ND	ND	ND	ND	ND		
H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	0.15	ND	ND	ND	ND	ND		
H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	0.15	ND	ND	ND	ND	ND		
H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.010	0.083	ND	ND	ND	ND	ND		
H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.068	ND	ND	ND	ND	ND		
H29.12. 1 ~ H30. 1. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.027	0.21	ND	ND	ND	ND	ND		
H30. 1. 1 ~ H30. 2. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.029	0.24	ND	ND	ND	ND	ND		
H30. 2. 1 ~ H30. 3. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.023	0.20	ND	ND	ND	ND	ND		
H30. 3. 1 ~ H30. 4. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	0.18	ND	ND	ND	ND	ND		
H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.026	ND	ND	ND	ND	ND		
H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	0.035	ND	ND	ND	ND	ND		
H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	0.029	ND	ND	ND	ND	ND		
H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.047	ND	ND	ND	ND	ND		
H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.027	ND	ND	ND	ND	ND		
H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.029	ND	ND	ND	ND	ND		
H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.038	ND	ND	ND	ND	ND		
H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.034	ND	ND	ND	ND	ND		
H29.12. 1 ~ H30. 1. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	0.042	ND	ND	ND	ND	ND		
H30. 1. 1 ~ H30. 2. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.011	0.088	ND	ND	ND	ND	ND		
H30. 2. 1 ~ H30. 3. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.057	ND	ND	ND	ND	ND		
H30. 3. 1 ~ H30. 4. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.072	ND	ND	ND	ND	ND		

榑葉町  
繁  
富岡  
(連続ダストモニタ)

富岡町  
富岡  
(連続ダストモニタ)

No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )															
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce					
7	川内村 下川内 (連続ダストモニタ)	H29.4.1 ~ H29.5.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.006	ND	
		H29.5.1 ~ H29.6.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.011	ND
		H29.6.1 ~ H29.7.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	ND
		H29.7.1 ~ H29.8.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.012	ND
		H29.8.1 ~ H29.9.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008	ND
		H29.9.1 ~ H29.10.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND
		H29.10.1 ~ H29.11.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND
		H29.11.1 ~ H29.12.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.011	ND
		H29.12.1 ~ H30.1.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.023	ND
		H30.1.1 ~ H30.2.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	ND
		H30.2.1 ~ H30.3.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND
		H30.3.1 ~ H30.4.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.018	ND
8	大野 大熊町 (連続ダストモニタ)	H29.4.1 ~ H29.5.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.044	ND	
		H29.5.1 ~ H29.6.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.050	ND
		H29.6.1 ~ H29.7.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.010	0.061	ND
		H29.7.1 ~ H29.8.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.066	ND
		H29.8.1 ~ H29.9.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.031	ND
		H29.9.1 ~ H29.10.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.040	ND
		H29.10.1 ~ H29.11.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.066	ND
		H29.11.1 ~ H29.12.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.038	ND
		H29.12.1 ~ H30.1.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.071	ND
		H30.1.1 ~ H30.2.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.058	ND
		H30.2.1 ~ H30.3.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.041	ND
		H30.3.1 ~ H30.4.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.065	ND
9	夫沢 大熊町 (連続ダストモニタ)	H29.4.1 ~ H29.5.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.024	0.17	ND	
		H29.5.1 ~ H29.6.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	0.12	ND	
		H29.6.1 ~ H29.7.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.013	0.096	ND	
		H29.7.1 ~ H29.8.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	0.13	ND	
		H29.8.1 ~ H29.9.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.026	0.20	ND	
		H29.9.1 ~ H29.10.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	0.12	ND	
		H29.10.1 ~ H29.11.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.037	0.29	ND	
		H29.11.1 ~ H29.12.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	0.15	ND	
		H29.12.1 ~ H30.1.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.020	0.17	ND	
		H30.1.1 ~ H30.2.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.030	0.26	ND	
		H30.2.1 ~ H30.3.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.023	0.22	ND	
		H30.3.1 ~ H30.4.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.029	0.23	ND	

No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )												
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce		
10	双葉町 三好りやま 郡山 (連続ダストモニタ)	H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.21	1.4	ND
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.078	0.55	ND
		H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.051	0.37	ND
		H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.12	0.88	ND
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.073	0.56	ND
		H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.15	1.2	ND
		H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.073	0.62	ND
		H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.056	0.47	ND
		H29.12. 1 ~ H30. 1. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.024	0.23	ND
		H30. 1. 1 ~ H30. 2. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.066	0.57	ND
		H30. 2. 1 ~ H30. 3. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.041	0.35	ND
		H30. 3. 1 ~ H30. 4. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.15	1.3	ND
		H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.012	0.081	ND
H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.012	0.090	ND		
H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.036	ND		
H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.012	0.082	ND		
H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.031	ND		
H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	0.050	ND		
H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.032	ND		
H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.050	ND		
H29.12. 1 ~ H30. 1. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.032	ND		
H30. 1. 1 ~ H30. 2. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.032	ND		
H30. 2. 1 ~ H30. 3. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.049	ND		
H30. 3. 1 ~ H30. 4. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.057	ND		
H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.010	0.067	ND	
H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	0.12	ND	
H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.065	ND	
H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.072	ND	
H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.010	0.087	ND	
H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.074	ND	
H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.040	ND	
H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.048	ND	
H29.12. 1 ~ H30. 1. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.025	0.22	ND	
H30. 1. 1 ~ H30. 2. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	0.13	ND	
H30. 2. 1 ~ H30. 3. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	0.12	ND	
H30. 3. 1 ~ H30. 4. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.013	0.10	ND	
11	浪江町 きよはし 幾世橋 (連続ダストモニタ)	H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.010	0.067	ND
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	0.12	ND
		H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.065	ND
		H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.072	ND
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.010	0.087	ND
		H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.074	ND
		H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.040	ND
		H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.048	ND
		H29.12. 1 ~ H30. 1. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.025	0.22	ND
		H30. 1. 1 ~ H30. 2. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	0.13	ND
		H30. 2. 1 ~ H30. 3. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	0.12	ND
		H30. 3. 1 ~ H30. 4. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.013	0.10	ND
		12	浪江町 おほつき 大柿ダム (連続ダストモニタ)	H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.010
H29. 5. 1 ~ H29. 6. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	0.12	ND
H29. 6. 1 ~ H29. 7. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.065	ND
H29. 7. 1 ~ H29. 8. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.072	ND
H29. 8. 1 ~ H29. 9. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	0.010	0.087	ND
H29. 9. 1 ~ H29.10. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.074	ND
H29.10. 1 ~ H29.11. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.040	ND
H29.11. 1 ~ H29.12. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.048	ND
H29.12. 1 ~ H30. 1. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	0.025	0.22	ND
H30. 1. 1 ~ H30. 2. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	0.13	ND
H30. 2. 1 ~ H30. 3. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	0.016	0.12	ND
H30. 3. 1 ~ H30. 4. 1	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	0.013	0.10	ND











No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )																
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce						
25	浪江町 みなとしま 南津島 (リアルタイム ダストモニタ)	H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.18	ND	ND	
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.095	ND	ND
		H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.053	ND	ND
		H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.078	ND	ND
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.059	ND	ND
		H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.034	0.13	ND	ND	ND
		H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.035	ND	ND
		H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.036	ND	ND
		H29.12. 1 ~ H30. 1. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.040	ND	ND
		H30. 1. 1 ~ H30. 2. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.035	ND	ND
		H30. 2. 1 ~ H30. 3. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.053	ND	ND
		H30. 3. 1 ~ H30. 4. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.037	ND	ND
26	南相馬市 横川ダム (リアルタイム ダストモニタ)	H29. 4. 1 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.063	ND	ND	
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.062	ND	ND	
		H29. 6. 1 ~ H29. 7. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.073	ND	ND	
		H29. 7. 1 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.088	ND	ND	
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.078	ND	ND	
		H29. 9. 1 ~ H29.10. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.093	ND	ND	
		H29.10. 1 ~ H29.11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.085	ND	ND	
		H29.11. 1 ~ H29.12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.028	ND	ND	
		H29.12. 1 ~ H30. 1. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.039	ND	ND	
		H30. 1. 1 ~ H30. 2. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.052	ND	ND	
		H30. 2. 1 ~ H30. 3. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.032	0.13	ND	ND
		H30. 3. 1 ~ H30. 4. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.10	ND	ND	

No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )														
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce				
		H29. 3. 31 ~ H29. 4. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 6 ~ H29. 4. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 13 ~ H29. 4. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 20 ~ H29. 4. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 27 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 2 ~ H29. 5. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 11 ~ H29. 5. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 18 ~ H29. 5. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 25 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 1 ~ H29. 6. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 8 ~ H29. 6. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 15 ~ H29. 6. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 22 ~ H29. 6. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 29 ~ H29. 7. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 6 ~ H29. 7. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 13 ~ H29. 7. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 20 ~ H29. 7. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 27 ~ H29. 8. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 3 ~ H29. 8. 10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 10 ~ H29. 8. 17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 17 ~ H29. 8. 24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 24 ~ H29. 8. 31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 31 ~ H29. 9. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 7 ~ H29. 9. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 14 ~ H29. 9. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 21 ~ H29. 9. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 28 ~ H29. 10. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 5 ~ H29. 10. 12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 12 ~ H29. 10. 19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 19 ~ H29. 10. 26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 26 ~ H29. 11. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 2 ~ H29. 11. 9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 9 ~ H29. 11. 16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 16 ~ H29. 11. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 22 ~ H29. 11. 30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 30 ~ H29. 12. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND



No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )														
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce				
		H29. 3. 31 ~ H29. 4. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 6 ~ H29. 4. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 13 ~ H29. 4. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 20 ~ H29. 4. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 27 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 2 ~ H29. 5. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 11 ~ H29. 5. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 18 ~ H29. 5. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 25 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 1 ~ H29. 6. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 8 ~ H29. 6. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 15 ~ H29. 6. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 22 ~ H29. 6. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 29 ~ H29. 7. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 6 ~ H29. 7. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 13 ~ H29. 7. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 20 ~ H29. 7. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 27 ~ H29. 8. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 3 ~ H29. 8. 10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 10 ~ H29. 8. 17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 17 ~ H29. 8. 24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 24 ~ H29. 8. 31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 31 ~ H29. 9. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 7 ~ H29. 9. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 14 ~ H29. 9. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 21 ~ H29. 9. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 28 ~ H29. 10. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 5 ~ H29. 10. 12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 12 ~ H29. 10. 19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 19 ~ H29. 10. 26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 26 ~ H29. 11. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 2 ~ H29. 11. 9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 9 ~ H29. 11. 16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 16 ~ H29. 11. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 22 ~ H29. 11. 30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 30 ~ H29. 12. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

ヤマダ 山田岡  
 榎葉町 (ダストサンプラー)



No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )														
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce				
		H29. 3. 31 ~ H29. 4. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 6 ~ H29. 4. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 13 ~ H29. 4. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 20 ~ H29. 4. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 27 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 2 ~ H29. 5. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 11 ~ H29. 5. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 18 ~ H29. 5. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 25 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 1 ~ H29. 6. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 8 ~ H29. 6. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 15 ~ H29. 6. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 22 ~ H29. 6. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 29 ~ H29. 7. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 6 ~ H29. 7. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 13 ~ H29. 7. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 20 ~ H29. 7. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 27 ~ H29. 8. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 3 ~ H29. 8. 10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 10 ~ H29. 8. 17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 17 ~ H29. 8. 24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 24 ~ H29. 8. 31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 31 ~ H29. 9. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 7 ~ H29. 9. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 14 ~ H29. 9. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 21 ~ H29. 9. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 28 ~ H29. 10. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 5 ~ H29. 10. 12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 12 ~ H29. 10. 19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 19 ~ H29. 10. 26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 26 ~ H29. 11. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 2 ~ H29. 11. 9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 9 ~ H29. 11. 16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 16 ~ H29. 11. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 22 ~ H29. 11. 30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 30 ~ H29. 12. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

29  
 榑葉町  
 松館  
 (ダストサンプラー)





No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )														
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce				
		H29. 3. 31 ~ H29. 4. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 6 ~ H29. 4. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 13 ~ H29. 4. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 20 ~ H29. 4. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 27 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 2 ~ H29. 5. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 11 ~ H29. 5. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 18 ~ H29. 5. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 25 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 1 ~ H29. 6. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 8 ~ H29. 6. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 15 ~ H29. 6. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 22 ~ H29. 6. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 29 ~ H29. 7. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 6 ~ H29. 7. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 13 ~ H29. 7. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 20 ~ H29. 7. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 27 ~ H29. 8. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 3 ~ H29. 8. 10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 10 ~ H29. 8. 17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 17 ~ H29. 8. 24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 24 ~ H29. 8. 31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 31 ~ H29. 9. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 7 ~ H29. 9. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 14 ~ H29. 9. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 21 ~ H29. 9. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 28 ~ H29. 10. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 5 ~ H29. 10. 12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 12 ~ H29. 10. 19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 19 ~ H29. 10. 26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 26 ~ H29. 11. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 2 ~ H29. 11. 9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 9 ~ H29. 11. 16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 16 ~ H29. 11. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 22 ~ H29. 11. 30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 30 ~ H29. 12. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

30  
 榑葉町  
 波倉  
 (ダストサンプラー)



No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )														
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce				
		H29. 3. 31 ~ H29. 4. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 6 ~ H29. 4. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 13 ~ H29. 4. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 20 ~ H29. 4. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 27 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 2 ~ H29. 5. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 11 ~ H29. 5. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 18 ~ H29. 5. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 25 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 1 ~ H29. 6. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 8 ~ H29. 6. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 15 ~ H29. 6. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 22 ~ H29. 6. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 29 ~ H29. 7. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 6 ~ H29. 7. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 13 ~ H29. 7. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 20 ~ H29. 7. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 27 ~ H29. 8. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 3 ~ H29. 8. 10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 10 ~ H29. 8. 17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 17 ~ H29. 8. 24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 24 ~ H29. 8. 31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 31 ~ H29. 9. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 7 ~ H29. 9. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 14 ~ H29. 9. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 21 ~ H29. 9. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 28 ~ H29. 10. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 5 ~ H29. 10. 12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 12 ~ H29. 10. 19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 19 ~ H29. 10. 26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 26 ~ H29. 11. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 2 ~ H29. 11. 9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 9 ~ H29. 11. 16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 16 ~ H29. 11. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 22 ~ H29. 11. 30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 30 ~ H29. 12. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

31 富岡町  
かみこぼりやま  
 上郡山  
 (ダストサンブ  
 ラー)\*1



No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )														
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce				
		H29. 3. 31 ~ H29. 4. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 6 ~ H29. 4. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 13 ~ H29. 4. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 20 ~ H29. 4. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 27 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 2 ~ H29. 5. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 11 ~ H29. 5. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 18 ~ H29. 5. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 25 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 1 ~ H29. 6. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 8 ~ H29. 6. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 15 ~ H29. 6. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 22 ~ H29. 6. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 29 ~ H29. 7. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 6 ~ H29. 7. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 13 ~ H29. 7. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 20 ~ H29. 7. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 27 ~ H29. 8. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 3 ~ H29. 8. 10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 10 ~ H29. 8. 17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 17 ~ H29. 8. 24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 24 ~ H29. 8. 31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 31 ~ H29. 9. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 7 ~ H29. 9. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 14 ~ H29. 9. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 21 ~ H29. 9. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 28 ~ H29. 10. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 5 ~ H29. 10. 12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 12 ~ H29. 10. 19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 19 ~ H29. 10. 26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 26 ~ H29. 11. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 2 ~ H29. 11. 9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 9 ~ H29. 11. 16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 16 ~ H29. 11. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 22 ~ H29. 11. 30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 30 ~ H29. 12. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

32 富岡町  
しもこおりやま  
 下郡山  
 (ダストサンプラー)



No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )														
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce				
		H29. 3. 31 ~ H29. 4. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 6 ~ H29. 4. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 13 ~ H29. 4. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 20 ~ H29. 4. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 27 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 2 ~ H29. 5. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 11 ~ H29. 5. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.28	ND	ND
		H29. 5. 18 ~ H29. 5. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 25 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 1 ~ H29. 6. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 8 ~ H29. 6. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 15 ~ H29. 6. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 22 ~ H29. 6. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 29 ~ H29. 7. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 6 ~ H29. 7. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 13 ~ H29. 7. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 20 ~ H29. 7. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 27 ~ H29. 8. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 3 ~ H29. 8. 10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 10 ~ H29. 8. 17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.18	ND	ND
		H29. 8. 17 ~ H29. 8. 24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 24 ~ H29. 8. 31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 31 ~ H29. 9. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 7 ~ H29. 9. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 14 ~ H29. 9. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.25	ND
		H29. 9. 21 ~ H29. 9. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 28 ~ H29. 10. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 5 ~ H29. 10. 12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.21	ND	ND
		H29. 10. 12 ~ H29. 10. 19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.77	ND	ND
		H29. 10. 19 ~ H29. 10. 26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.23	ND	ND
		H29. 10. 26 ~ H29. 11. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.42	ND	ND
		H29. 11. 2 ~ H29. 11. 9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.52	ND	ND
		H29. 11. 9 ~ H29. 11. 16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.60	ND	ND
		H29. 11. 16 ~ H29. 11. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.30	ND	ND
		H29. 11. 22 ~ H29. 11. 30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.49	ND	ND
		H29. 11. 30 ~ H29. 12. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.33	ND	ND

33 富岡町  
夜の森  
(ダストサンプラー)





No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )													
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce			
		H29. 3. 31 ~ H29. 4. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.20	ND
		H29. 4. 6 ~ H29. 4. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.22	ND
		H29. 4. 13 ~ H29. 4. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.28	ND
		H29. 4. 20 ~ H29. 4. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.36	ND
		H29. 4. 27 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.23	ND
		H29. 5. 2 ~ H29. 5. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.19	ND
		H29. 5. 11 ~ H29. 5. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.39	ND
		H29. 5. 18 ~ H29. 5. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.51	ND
		H29. 5. 25 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.53	ND
		H29. 6. 1 ~ H29. 6. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.19	ND
		H29. 6. 8 ~ H29. 6. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.20	ND
		H29. 6. 15 ~ H29. 6. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.38	ND
		H29. 6. 22 ~ H29. 6. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.33	ND
		H29. 6. 29 ~ H29. 7. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.43	ND
		H29. 7. 6 ~ H29. 7. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.43	ND
		H29. 7. 13 ~ H29. 7. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.31	ND
		H29. 7. 20 ~ H29. 7. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.56	ND
		H29. 7. 27 ~ H29. 8. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.81	ND
		H29. 8. 3 ~ H29. 8. 10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.91	ND
		H29. 8. 10 ~ H29. 8. 17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.99	ND
		H29. 8. 17 ~ H29. 8. 24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.81	ND
		H29. 8. 24 ~ H29. 8. 31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.41	ND
		H29. 8. 31 ~ H29. 9. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.47	ND
		H29. 9. 7 ~ H29. 9. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.46	ND
		H29. 9. 14 ~ H29. 9. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.44	ND
		H29. 9. 21 ~ H29. 9. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.28	ND
		H29. 9. 28 ~ H29. 10. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.27	ND
		H29. 10. 5 ~ H29. 10. 12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.35	ND
		H29. 10. 12 ~ H29. 10. 19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.36	ND
		H29. 10. 19 ~ H29. 10. 26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.53	ND
		H29. 10. 26 ~ H29. 11. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.41	ND
		H29. 11. 2 ~ H29. 11. 9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.34	ND
		H29. 11. 9 ~ H29. 11. 16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.26	ND
		H29. 11. 16 ~ H29. 11. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 22 ~ H29. 11. 30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.23	ND
		H29. 11. 30 ~ H29. 12. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.33	ND

34 大蔵町  
南台  
(ダストサンブラー)



No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )													
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce			
		H29. 3. 31 ~ H29. 4. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 6 ~ H29. 4. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 13 ~ H29. 4. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 20 ~ H29. 4. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 27 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 2 ~ H29. 5. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.18	ND	ND
		H29. 5. 11 ~ H29. 5. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 18 ~ H29. 5. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 25 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.27	ND	ND
		H29. 6. 1 ~ H29. 6. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 8 ~ H29. 6. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 15 ~ H29. 6. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 22 ~ H29. 6. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 29 ~ H29. 7. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 6 ~ H29. 7. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 13 ~ H29. 7. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.21	ND	ND
		H29. 7. 20 ~ H29. 7. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 27 ~ H29. 8. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 3 ~ H29. 8. 10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 10 ~ H29. 8. 17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 17 ~ H29. 8. 24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.27	ND	ND
		H29. 8. 24 ~ H29. 8. 31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 31 ~ H29. 9. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 7 ~ H29. 9. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 14 ~ H29. 9. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 21 ~ H29. 9. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 28 ~ H29. 10. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 5 ~ H29. 10. 12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.18	ND	ND
		H29. 10. 12 ~ H29. 10. 19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 19 ~ H29. 10. 26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 26 ~ H29. 11. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 2 ~ H29. 11. 9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 9 ~ H29. 11. 16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 16 ~ H29. 11. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 22 ~ H29. 11. 30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 30 ~ H29. 12. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND



No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )														
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce				
		H29. 4. 1 ~ H29. 4. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 6 ~ H29. 4. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 13 ~ H29. 4. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 20 ~ H29. 4. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 27 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 2 ~ H29. 5. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.030	ND	ND
		H29. 5. 11 ~ H29. 5. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 18 ~ H29. 5. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 25 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 1 ~ H29. 6. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 8 ~ H29. 6. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 15 ~ H29. 6. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 22 ~ H29. 6. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 29 ~ H29. 7. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 6 ~ H29. 7. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 13 ~ H29. 7. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 20 ~ H29. 7. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 27 ~ H29. 8. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 3 ~ H29. 8. 10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 10 ~ H29. 8. 17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 17 ~ H29. 8. 24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 24 ~ H29. 8. 31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 31 ~ H29. 9. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 7 ~ H29. 9. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 14 ~ H29. 9. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 21 ~ H29. 9. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 28 ~ H29. 10. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 5 ~ H29. 10. 12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 12 ~ H29. 10. 19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 19 ~ H29. 10. 26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 26 ~ H29. 11. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 2 ~ H29. 11. 9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 9 ~ H29. 11. 16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 16 ~ H29. 11. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 22 ~ H29. 11. 30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 30 ~ H29. 12. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

36 田村市  
滝根  
(簡易型ダスト  
サンプラー)



No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )													
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce			
		H29. 4. 1 ~ H29. 4. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 6 ~ H29. 4. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 13 ~ H29. 4. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 20 ~ H29. 4. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.030	ND	ND
		H29. 4. 27 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 2 ~ H29. 5. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND
		H29. 5. 11 ~ H29. 5. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 18 ~ H29. 5. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 25 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 1 ~ H29. 6. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 8 ~ H29. 6. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 15 ~ H29. 6. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 22 ~ H29. 6. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 29 ~ H29. 7. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 6 ~ H29. 7. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 13 ~ H29. 7. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 20 ~ H29. 7. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 27 ~ H29. 8. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.037	ND	ND
		H29. 8. 3 ~ H29. 8. 10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 10 ~ H29. 8. 17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 17 ~ H29. 8. 24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 24 ~ H29. 8. 31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 31 ~ H29. 9. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 7 ~ H29. 9. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 14 ~ H29. 9. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 21 ~ H29. 9. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 28 ~ H29. 10. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 5 ~ H29. 10. 12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.053	ND	ND
		H29. 10. 12 ~ H29. 10. 19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 19 ~ H29. 10. 26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 26 ~ H29. 11. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 2 ~ H29. 11. 9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 9 ~ H29. 11. 16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 16 ~ H29. 11. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 22 ~ H29. 11. 30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 30 ~ H29. 12. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

37 田村市  
本表の巻  
 船 引  
 (簡易型ダスト  
 サンプルラー)





No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )														
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce				
		H29. 4. 1 ~ H29. 4. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 6 ~ H29. 4. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.025	ND
		H29. 4. 13 ~ H29. 4. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 20 ~ H29. 4. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 27 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 2 ~ H29. 5. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	ND	ND
		H29. 5. 11 ~ H29. 5. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.024	ND	ND
		H29. 5. 18 ~ H29. 5. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.042	ND	ND
		H29. 5. 25 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 1 ~ H29. 6. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 8 ~ H29. 6. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 15 ~ H29. 6. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 22 ~ H29. 6. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 29 ~ H29. 7. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 6 ~ H29. 7. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 13 ~ H29. 7. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.025	ND	ND
		H29. 7. 20 ~ H29. 7. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 27 ~ H29. 8. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	ND	ND
		H29. 8. 3 ~ H29. 8. 10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.087	ND	ND
		H29. 8. 10 ~ H29. 8. 17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.027	ND	ND
		H29. 8. 17 ~ H29. 8. 24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 24 ~ H29. 8. 31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.023	ND	ND
		H29. 8. 31 ~ H29. 9. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 7 ~ H29. 9. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 14 ~ H29. 9. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 21 ~ H29. 9. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 28 ~ H29. 10. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 5 ~ H29. 10. 12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 12 ~ H29. 10. 19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.028	ND	ND
		H29. 10. 19 ~ H29. 10. 26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 26 ~ H29. 11. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.053	ND	ND
		H29. 11. 2 ~ H29. 11. 9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.17	ND	ND
		H29. 11. 9 ~ H29. 11. 16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.022	ND	ND
		H29. 11. 16 ~ H29. 11. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 22 ~ H29. 11. 30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 30 ~ H29. 12. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

田村市  
がみろつし  
 上 移  
 (簡易型ダスト  
 サンプルラー)



No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )														
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce				
		H29. 4. 1 ~ H29. 4. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND
		H29. 4. 6 ~ H29. 4. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.017	ND	ND
		H29. 4. 13 ~ H29. 4. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 20 ~ H29. 4. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.031	ND	ND
		H29. 4. 27 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 2 ~ H29. 5. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 11 ~ H29. 5. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 18 ~ H29. 5. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.038	ND	ND
		H29. 5. 25 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 1 ~ H29. 6. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 8 ~ H29. 6. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 15 ~ H29. 6. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 22 ~ H29. 6. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 29 ~ H29. 7. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 6 ~ H29. 7. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 13 ~ H29. 7. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.023	ND	ND
		H29. 7. 20 ~ H29. 7. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 7. 27 ~ H29. 8. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 3 ~ H29. 8. 10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 10 ~ H29. 8. 17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND
		H29. 8. 17 ~ H29. 8. 24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 24 ~ H29. 8. 31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 31 ~ H29. 9. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 7 ~ H29. 9. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 14 ~ H29. 9. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 21 ~ H29. 9. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.10	ND	ND
		H29. 9. 28 ~ H29. 10. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 5 ~ H29. 10. 12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.023	ND	ND
		H29. 10. 12 ~ H29. 10. 19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 19 ~ H29. 10. 26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 26 ~ H29. 11. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 2 ~ H29. 11. 9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 9 ~ H29. 11. 16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 16 ~ H29. 11. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 22 ~ H29. 11. 30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 30 ~ H29. 12. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

39 川内村  
がみかわち  
 上川内  
 (簡易型ダスト  
 サンプル)



No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )												
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce		
		H29. 4. 1 ~ H29. 4. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	0.078	ND
		H29. 4. 6 ~ H29. 4. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.032	ND
		H29. 4. 13 ~ H29. 4. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.065	ND
		H29. 4. 20 ~ H29. 4. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.059	ND
		H29. 4. 27 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.041	ND
		H29. 5. 2 ~ H29. 5. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.031	0.19	ND	ND
		H29. 5. 11 ~ H29. 5. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.050	ND	ND
		H29. 5. 18 ~ H29. 5. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.030	0.20	ND	ND
		H29. 5. 25 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	ND	ND
		H29. 6. 1 ~ H29. 6. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.052	ND	ND
		H29. 6. 8 ~ H29. 6. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.051	ND	ND
		H29. 6. 15 ~ H29. 6. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.061	ND	ND
		H29. 6. 22 ~ H29. 6. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.048	ND	ND
		H29. 6. 29 ~ H29. 7. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	ND	ND
		H29. 7. 6 ~ H29. 7. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.024	0.10	ND	ND
		H29. 7. 13 ~ H29. 7. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.071	ND	ND
		H29. 7. 20 ~ H29. 7. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.10	ND	ND
		H29. 7. 27 ~ H29. 8. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.046	ND	ND
		H29. 8. 3 ~ H29. 8. 10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.094	ND	ND
		H29. 8. 10 ~ H29. 8. 17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 17 ~ H29. 8. 24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.087	ND	ND
		H29. 8. 24 ~ H29. 8. 31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.093	ND	ND
		H29. 8. 31 ~ H29. 9. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.044	ND	ND
		H29. 9. 7 ~ H29. 9. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.10	ND	ND
		H29. 9. 14 ~ H29. 9. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.079	ND	ND
		H29. 9. 21 ~ H29. 9. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	ND	ND
		H29. 9. 28 ~ H29. 10. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.047	ND	ND
		H29. 10. 5 ~ H29. 10. 12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.086	ND	ND
		H29. 10. 12 ~ H29. 10. 19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.044	ND	ND
		H29. 10. 19 ~ H29. 10. 26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 26 ~ H29. 11. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.034	ND	ND
		H29. 11. 2 ~ H29. 11. 9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.029	ND	ND
		H29. 11. 9 ~ H29. 11. 16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.030	ND	ND
		H29. 11. 16 ~ H29. 11. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.072	ND	ND
		H29. 11. 22 ~ H29. 11. 30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.030	ND	ND
		H29. 11. 30 ~ H29. 12. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND

40 南相馬市  
馬場  
(簡易型ダスト  
サンブロー)

No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )														
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce				
		H29. 12. 7 ~ H29. 12. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 027	ND	ND	
		H29. 12. 14 ~ H29. 12. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 12. 21 ~ H29. 12. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 041	ND	ND
		H29. 12. 28 ~ H30. 1. 4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 019	ND	ND
		H30. 1. 4 ~ H30. 1. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H30. 1. 11 ~ H30. 1. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H30. 1. 18 ~ H30. 1. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 028	ND	ND
		H30. 1. 25 ~ H30. 2. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H30. 2. 1 ~ H30. 2. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H30. 2. 8 ~ H30. 2. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 057	ND	ND
		H30. 2. 15 ~ H30. 2. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H30. 2. 22 ~ H30. 3. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 033	ND	ND
		H30. 3. 1 ~ H30. 3. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H30. 3. 8 ~ H30. 3. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 047	ND	ND
		H30. 3. 15 ~ H30. 3. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 050	ND	ND
		H30. 3. 22 ~ H30. 3. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 035	ND	ND

No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )														
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce				
		H29. 4. 1 ~ H29. 4. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.10	ND	ND
		H29. 4. 6 ~ H29. 4. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.035	ND	ND
		H29. 4. 13 ~ H29. 4. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.062	ND	ND
		H29. 4. 20 ~ H29. 4. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.071	ND	ND
		H29. 4. 27 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.034	ND	ND
		H29. 5. 2 ~ H29. 5. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.025	0.14	0.038	0.15	0.077	ND
		H29. 5. 11 ~ H29. 5. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.026	ND	ND
		H29. 5. 18 ~ H29. 5. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.036	ND	ND
		H29. 5. 25 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.051	ND	ND
		H29. 6. 1 ~ H29. 6. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.064	ND	ND
		H29. 6. 8 ~ H29. 6. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.026	ND	ND
		H29. 6. 15 ~ H29. 6. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.057	ND	ND
		H29. 6. 22 ~ H29. 6. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.060	ND	ND
		H29. 6. 29 ~ H29. 7. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.059	ND	ND
		H29. 7. 6 ~ H29. 7. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.073	ND	ND
		H29. 7. 13 ~ H29. 7. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.031	ND	ND
		H29. 7. 20 ~ H29. 7. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.038	ND	ND
		H29. 7. 27 ~ H29. 8. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.023	ND	ND
		H29. 8. 3 ~ H29. 8. 10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.060	ND	ND
		H29. 8. 10 ~ H29. 8. 17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.070	ND	ND
		H29. 8. 17 ~ H29. 8. 24	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.023	0.026	0.053	0.060	ND	ND
		H29. 8. 24 ~ H29. 8. 31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.026	ND	ND
		H29. 8. 31 ~ H29. 9. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.053	ND	ND
		H29. 9. 7 ~ H29. 9. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.060	ND	ND
		H29. 9. 14 ~ H29. 9. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.073	ND	ND
		H29. 9. 21 ~ H29. 9. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.063	ND	ND
		H29. 9. 28 ~ H29. 10. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.057	ND	ND
		H29. 10. 5 ~ H29. 10. 12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.035	ND	ND
		H29. 10. 12 ~ H29. 10. 19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 19 ~ H29. 10. 26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.031	ND	ND
		H29. 10. 26 ~ H29. 11. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.060	ND	ND
		H29. 11. 2 ~ H29. 11. 9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.060	ND	ND
		H29. 11. 9 ~ H29. 11. 16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.036	ND	ND
		H29. 11. 16 ~ H29. 11. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.042	ND	ND
		H29. 11. 22 ~ H29. 11. 30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.063	ND	ND
		H29. 11. 30 ~ H29. 12. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

41 南相馬市  
おおきと  
 大木戸  
 (簡易型ダスト  
 サンプルラー)



No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )													
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce			
		H29. 12. 7 ~ H29. 12. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 12. 14 ~ H29. 12. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 027	ND
		H29. 12. 21 ~ H29. 12. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 050	ND
		H29. 12. 28 ~ H30. 1. 4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 030	ND
		H30. 1. 4 ~ H30. 1. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 046	ND
		H30. 1. 11 ~ H30. 1. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H30. 1. 18 ~ H30. 1. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 032	ND
		H30. 1. 25 ~ H30. 2. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 022	ND
		H30. 2. 1 ~ H30. 2. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H30. 2. 8 ~ H30. 2. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 056	ND
		H30. 2. 15 ~ H30. 2. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 049	ND
		H30. 2. 22 ~ H30. 3. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 044	ND
		H30. 3. 1 ~ H30. 3. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 046	0. 046	ND
		H30. 3. 8 ~ H30. 3. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 027	0. 027	ND
		H30. 3. 15 ~ H30. 3. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 044	0. 044	ND
		H30. 3. 22 ~ H30. 3. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 032	0. 032	ND

No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )														
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce				
		H29. 4. 1 ~ H29. 4. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.082	ND	ND
		H29. 4. 6 ~ H29. 4. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 4. 13 ~ H29. 4. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.054	ND	ND
		H29. 4. 20 ~ H29. 4. 27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.051	ND	ND
		H29. 4. 27 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.031	ND	ND
		H29. 5. 2 ~ H29. 5. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.088	ND	ND
		H29. 5. 11 ~ H29. 5. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.029	ND	ND
		H29. 5. 18 ~ H29. 5. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.057	ND	ND
		H29. 5. 25 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.041	ND	ND
		H29. 6. 1 ~ H29. 6. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.021	ND	ND
		H29. 6. 8 ~ H29. 6. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.020	ND	ND
		H29. 6. 15 ~ H29. 6. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 6. 22 ~ H29. 6. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.026	ND	ND
		H29. 6. 29 ~ H29. 7. 6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.045	ND	ND
		H29. 7. 6 ~ H29. 7. 13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.046	ND	ND
		H29. 7. 13 ~ H29. 7. 20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.023	ND	ND
		H29. 7. 20 ~ H29. 7. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.063	ND	ND
		H29. 7. 27 ~ H29. 8. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.032	ND	ND
		H29. 8. 3 ~ H29. 8. 10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.025	ND	ND
		H29. 8. 10 ~ H29. 8. 17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 8. 17 ~ H29. 8. 24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.042	ND	ND
		H29. 8. 24 ~ H29. 8. 31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.040	ND	ND
		H29. 8. 31 ~ H29. 9. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 9. 7 ~ H29. 9. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.027	ND	ND
		H29. 9. 14 ~ H29. 9. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.038	ND	ND
		H29. 9. 21 ~ H29. 9. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.040	ND	ND
		H29. 9. 28 ~ H29. 10. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 5 ~ H29. 10. 12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.042	ND	ND
		H29. 10. 12 ~ H29. 10. 19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.042	ND	ND
		H29. 10. 19 ~ H29. 10. 26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 26 ~ H29. 11. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 2 ~ H29. 11. 9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.029	ND	ND
		H29. 11. 9 ~ H29. 11. 16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 16 ~ H29. 11. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 22 ~ H29. 11. 30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 30 ~ H29. 12. 7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

42 南相馬市  
じまほら  
 槽原  
 (簡易型ダスト  
 サンプラー) \*2

No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )													
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce			
		H29. 12. 7 ~ H29. 12. 14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 12. 14 ~ H29. 12. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 12. 21 ~ H29. 12. 28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.051	ND	ND
		H29. 12. 28 ~ H30. 1. 4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.034	ND	ND
		H30. 1. 4 ~ H30. 1. 11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.028	ND	ND
		H30. 1. 11 ~ H30. 1. 18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.024	ND	ND
		H30. 1. 18 ~ H30. 1. 25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.020	ND	ND
		H30. 1. 25 ~ H30. 2. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.025	ND	ND
		H30. 2. 1 ~ H30. 2. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019	ND	ND
		H30. 2. 8 ~ H30. 2. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.027	ND	ND
		H30. 2. 15 ~ H30. 2. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.023	ND	ND
		H30. 2. 22 ~ H30. 3. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.033	ND	ND
		H30. 3. 1 ~ H30. 3. 8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.031	ND	ND
		H30. 3. 8 ~ H30. 3. 15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.027	ND	ND
		H30. 3. 15 ~ H30. 3. 22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H30. 3. 22 ~ H30. 3. 29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

(注) 1 No. の網掛け部分は東京電力株式会社福島第一原子力発電所から半径5km未満の地域

2 「ND」：検出限界未満

3 上記の他、人工放射性核種は検出されなかった。

4 <sup>134</sup>Cs及び<sup>137</sup>Csの検出限界値：連続ダストモニタはおおむね0.01 mBq/m<sup>3</sup>以下、リアルタイムダストモニタはおおむね0.06 mBq/m<sup>3</sup>以下、ダストサンプラー（1週間集じん）はおおむね0.04 mBq/m<sup>3</sup>以下、簡易型ダストサンプラー（1日集じん）はおおむね0.05 mBq/m<sup>3</sup>以下である。

5 \*1 No. 31上郡山の採取期間H29. 11. 16～H29. 11. 20の測定については、ダストサンプラーの意図せぬ停止により、採取期間が短くなっている。

6 \*2 No. 42橿原の採取期間H29. 7. 20～H29. 7. 22の測定については、簡易型ダストサンプラーの意図せぬ停止により、採取期間が短くなっている。

5-2-3 降下物の核種濃度

No.	地点名	採取期間	核種濃度 (Bq/m <sup>2</sup> (MBq/km <sup>2</sup> ))																									
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>90</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>137</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce															
1	いわき市 <small>いわきのほま</small> 久之浜	H29. 3. 31 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					
		H29. 6. 1 ~ H29. 7. 4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				
		H29. 7. 4 ~ H29. 8. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
		H29. 8. 2 ~ H29. 9. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
		H29. 9. 5 ~ H29. 10. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		H29. 10. 3 ~ H29. 11. 1 <sup>*1</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		H29. 11. 1 ~ H29. 12. 4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29. 12. 4 ~ H30. 1. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H30. 1. 5 ~ H30. 2. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H30. 2. 2 ~ H30. 3. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
H30. 3. 2 ~ H30. 4. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29. 4. 6 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29. 6. 1 ~ H29. 7. 4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
H29. 7. 4 ~ H29. 8. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
H29. 8. 2 ~ H29. 9. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
H29. 9. 5 ~ H29. 10. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
H29. 10. 3 ~ H29. 11. 1 <sup>*1</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
H29. 11. 1 ~ H29. 12. 4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
H29. 12. 4 ~ H30. 1. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
H30. 1. 5 ~ H30. 2. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
H30. 2. 2 ~ H30. 3. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
H30. 3. 2 ~ H30. 4. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
H29. 4. 3 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
H29. 6. 1 ~ H29. 7. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
H29. 7. 3 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
H29. 8. 1 ~ H29. 9. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
H29. 9. 5 ~ H29. 10. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
H29. 10. 2 ~ H29. 11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
H29. 11. 1 ~ H29. 12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
H29. 12. 1 ~ H30. 1. 4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
H30. 1. 4 ~ H30. 2. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
H30. 2. 1 ~ H30. 3. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
H30. 3. 1 ~ H30. 4. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

富岡町  
とみおか

No.	地点名	採取期間	核種濃度 (Bq/m <sup>2</sup> (MBq/km <sup>2</sup> ))																		
			<sup>51</sup> Cr+	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>90</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>137</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce								
4	大野 おおの	H29. 4. 3 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		H29. 6. 1 ~ H29. 7. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29. 7. 3 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29. 9. 1 ~ H29. 10. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 10. 2 ~ H29. 11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 11. 1 ~ H29. 12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 12. 1 ~ H30. 1. 4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H30. 1. 4 ~ H30. 2. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H30. 2. 1 ~ H30. 3. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H30. 3. 1 ~ H30. 4. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H30. 4. 3 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
H29. 6. 1 ~ H29. 7. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29. 7. 3 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29. 9. 1 ~ H29. 10. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29. 10. 3 ~ H29. 11. 1 <sup>*1</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29. 11. 1 ~ H29. 12. 4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29. 12. 4 ~ H30. 1. 4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H30. 1. 4 ~ H30. 2. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H30. 2. 1 ~ H30. 3. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H30. 3. 1 ~ H30. 4. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H30. 4. 4 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29. 6. 1 ~ H29. 7. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29. 7. 3 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29. 9. 1 ~ H29. 10. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29. 10. 3 ~ H29. 11. 1 <sup>*1</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29. 11. 1 ~ H29. 12. 4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29. 12. 4 ~ H30. 1. 4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H30. 1. 4 ~ H30. 2. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H30. 2. 1 ~ H30. 3. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H30. 3. 1 ~ H30. 4. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		

双葉町  
ふたば

南相馬市  
みなづま



No.	地点名	採取期間	核種濃度 (Bq/m <sup>2</sup> (MBq/km <sup>2</sup> ))												
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce		
10	川俣町 山木屋 <small>ヤマギヤ</small>	H29. 4. 3 ~ H29. 5. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	65	ND
		H29. 5. 2 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	11	72	ND
		H29. 6. 1 ~ H29. 7. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.6	64	ND
		H29. 7. 3 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.1	49	ND
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.8	29	ND
		H29. 9. 1 ~ H29. 10. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.2	25	ND
		H29. 10. 2 ~ H29. 11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.0	15	ND
		H29. 11. 1 ~ H29. 12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.4	18	ND
		H29. 12. 1 ~ H30. 1. 5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.2	26	ND
		H30. 1. 5 ~ H30. 2. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.6	28	ND
H30. 2. 2 ~ H30. 3. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	12	100	ND		
H30. 3. 1 ~ H30. 4. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.0	62	ND		

(注) 1 No.の網掛け部分は東京電力株式会社福島第一原子力発電所から半径5km未満の地域

2 「ND」：検出限界未満

3 \*1 試料採取期間中、試料採取容器から試料があふれたため、参考値とする。













試料名	種類 又は 部位	採取 年月日	採取地点番号 及び採取地点名	単位	全γ- 放射能 測定値	核種濃度																天然 核種		
						<sup>60</sup> Cr	<sup>51</sup> Mn	<sup>55</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>93</sup> Nb	<sup>101</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>141</sup> Ce	<sup>3</sup> H	<sup>127</sup> I	<sup>87</sup> Sr	<sup>90</sup> Sr	<sup>238</sup> Pu		<sup>239/240</sup> Pu	<sup>241</sup> Am
海底土	1	E29. 5.16	第一(第)南放水口付近*3	Bq/kg乾	/	ND	ND	ND	ND	ND	ND	ND	52	360	ND	ND	ND	0.23	ND	0.20	/	/	510	
		E29. 8.18				ND	ND	ND	ND	ND	ND	42	300	ND	ND	ND	ND	ND	ND	ND	0.21	/	/	500
		E29.11.14				ND	ND	ND	ND	ND	ND	34	280	ND	ND	ND	ND	ND	0.38	ND	0.18	/	/	490
		E30. 2.13				ND	ND	ND	ND	ND	ND	29	260	ND	ND	ND	ND	ND	分析中	ND	0.21	/	/	470
		E29. 5.16	ND			ND	ND	ND	ND	ND	26	180	ND	ND	ND	ND	ND	ND	ND	0.29	/	/	460	
		E29. 8.18	ND			ND	ND	ND	ND	ND	19	140	ND	ND	ND	ND	ND	ND	ND	0.30	/	/	490	
		E29.11.14	ND			ND	ND	ND	ND	ND	22	180	ND	ND	ND	ND	ND	ND	0.20	ND	0.32	/	/	500
		E30. 2.13	ND			ND	ND	ND	ND	ND	20	180	ND	ND	ND	ND	ND	ND	0.79	ND	0.29	/	/	460
		E29. 5.16	ND			ND	ND	ND	ND	ND	52	360	ND	ND	ND	ND	ND	ND	ND	ND	0.26	/	/	520
		E29. 8.18	ND			ND	ND	ND	ND	ND	38	280	ND	ND	ND	ND	ND	ND	ND	ND	0.25	/	/	500
		E29.11.14	ND			ND	ND	ND	ND	ND	35	280	ND	ND	ND	ND	ND	ND	0.77	ND	0.41	/	/	540
		E30. 2.13	ND			ND	ND	ND	ND	ND	34	290	ND	ND	ND	ND	ND	ND	0.56	ND	0.29	/	/	560
		E29. 5.16	ND			ND	ND	ND	ND	ND	23	150	ND	ND	ND	ND	ND	ND	ND	ND	0.33	/	/	450
		E29. 8.18	ND			ND	ND	ND	ND	ND	11	78	ND	ND	ND	ND	ND	ND	ND	ND	0.40	/	/	450
		E29.11.14	ND			ND	ND	ND	ND	ND	6.2	52	ND	ND	ND	ND	ND	ND	0.71	ND	0.32	/	/	430
		E30. 2.13	ND			ND	ND	ND	ND	ND	3.5	31	ND	ND	ND	ND	ND	ND	分析中	ND	0.29	/	/	440
E29. 5.16	ND	ND	ND	ND	ND	ND	6.9	48	ND	ND	ND	ND	ND	ND	ND	ND	0.42	/	/	460				
E29. 8.18	ND	ND	ND	ND	ND	ND	5.9	45	ND	ND	ND	ND	ND	ND	0.39	ND	0.41	/	/	490				
E29.11.14	ND	ND	ND	ND	ND	ND	6.7	52	ND	ND	ND	ND	ND	ND	0.29	0.01	0.41	/	/	490				
E30. 2.13	ND	ND	ND	ND	ND	ND	3.1	27	ND	ND	ND	ND	ND	ND	分析中	ND	0.37	/	/	480				
E29. 5.16	ND	ND	ND	ND	ND	ND	10	72	ND	ND	ND	ND	ND	ND	ND	ND	0.47	/	/	490				
E29. 8.18	ND	ND	ND	ND	ND	ND	5.1	39	ND	ND	ND	ND	ND	ND	ND	ND	0.42	/	/	470				
E29.11.14	ND	ND	ND	ND	ND	ND	5.7	48	ND	ND	ND	ND	ND	ND	0.30	ND	0.61	/	/	490				
E30. 2.13	ND	ND	ND	ND	ND	ND	3.6	33	ND	ND	ND	ND	ND	ND	分析中	ND	0.40	/	/	430				
E29. 5.10	ND	ND	ND	ND	ND	ND	15	100	ND	ND	ND	ND	ND	ND	0.32	ND	0.24	/	/	490				
E29. 8.21	ND	ND	ND	ND	ND	ND	15	120	ND	ND	ND	ND	ND	ND	ND	ND	ND	/	/	480				
E29.11. 8	ND	ND	ND	ND	ND	ND	14	120	ND	ND	ND	ND	ND	ND	ND	ND	ND	/	/	540				
E30. 2. 8	ND	ND	ND	ND	ND	ND	11	98	ND	ND	ND	ND	ND	ND	ND	ND	ND	/	/	510				
E29. 5.10	ND	ND	ND	ND	ND	ND	12	83	ND	ND	ND	ND	ND	ND	0.18	ND	0.22	/	/	520				
E29. 8.21	ND	ND	ND	ND	ND	ND	7.4	56	ND	ND	ND	ND	ND	ND	ND	ND	ND	/	/	390				
E29.11. 8	ND	ND	ND	ND	ND	ND	12	94	ND	ND	ND	ND	ND	ND	ND	ND	ND	/	/	540				
E30. 2. 8	ND	ND	ND	ND	ND	ND	9.0	80	ND	ND	ND	ND	ND	ND	ND	ND	ND	/	/	480				





5-3 比較対照地点

5-3-1 空間線量率(比較対照地点)

単位:線量率:μGy/h、測定時間:h  
上段:平均値(下段):最大値

No.	測定地点名	測定年月		H29.4		5		6		7		8		9		10		11		12		H30.1		2		3		
		測定項目	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間	線量率	測定時間
1	福島市 赤葉山 (高さ2.5mの測定値)	福島市 赤葉山 (高さ2.5mの測定値)	119 (130)	720	119 (127)	744	118 (131)	720	116 (142)	744	112 (126)	744	112 (126)	744	113 (131)	720	111 (123)	736	110 (124)	720	111 (129)	744	107 (146)	744	107 (128)	672	106 (118)	744
		福島市 赤葉山 (高さ1mの測定値)	128 (137)	720	129 (137)	744	129 (141)	720	127 (150)	744	120 (131)	744	120 (131)	744	122 (135)	720	120 (130)	736	120 (133)	720	119 (138)	744	114 (159)	744	115 (139)	672	114 (125)	743
2	郡山市 ひがし和田	142 (159)	720	143 (157)	744	143 (163)	720	141 (168)	744	137 (156)	744	137 (156)	744	137 (159)	715	136 (157)	744	136 (155)	718	134 (159)	744	128 (173)	744	131 (163)	672	132 (149)	744	
3	いわき市 中央	65 (75)	720	65 (80)	744	64 (73)	720	65 (84)	744	64 (77)	744	64 (77)	744	65 (83)	715	63 (81)	744	64 (75)	716	65 (79)	738	64 (82)	744	63 (71)	672	63 (78)	744	



5-3-2 大気浮遊じんの核種濃度 (比較対照地点)

No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )																	
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce							
1	福島市 方木田 (簡易型ダスト サンブラー)	H29.4.6 ~ H29.4.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.063	ND	ND	
		H29.5.8 ~ H29.5.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.094	ND	ND
		H29.6.5 ~ H29.6.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29.7.6 ~ H29.7.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29.8.14 ~ H29.8.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29.9.4 ~ H29.9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.032	ND	ND
		H29.10.5 ~ H29.10.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.030	ND	ND
		H29.11.9 ~ H29.11.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.046	ND	ND
		H29.12.4 ~ H29.12.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.038	ND	ND
		H30.1.15 ~ H30.1.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.055	ND	ND
		H30.2.1 ~ H30.2.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.040	ND	ND
		H30.3.1 ~ H30.3.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.15	ND	ND
		H29.4.11 ~ H29.4.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29.5.1 ~ H29.5.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29.6.6 ~ H29.6.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
H29.7.6 ~ H29.7.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29.8.3 ~ H29.8.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29.9.7 ~ H29.9.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29.10.3 ~ H29.10.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29.11.1 ~ H29.11.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29.12.4 ~ H29.12.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H30.1.9 ~ H30.1.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H30.2.5 ~ H30.2.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H30.3.6 ~ H30.3.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29.4.4 ~ H29.4.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29.5.10 ~ H29.5.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29.6.14 ~ H29.6.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29.7.4 ~ H29.7.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29.8.1 ~ H29.8.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29.9.13 ~ H29.9.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.065	ND	ND		
H29.10.10 ~ H29.10.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29.11.6 ~ H29.11.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H29.12.6 ~ H29.12.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.030	ND	ND		
H30.1.11 ~ H30.1.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
H30.2.7 ~ H30.2.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	ND	ND		
H30.3.27 ~ H30.3.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		

追手町  
(簡易型ダスト  
サンブラー)

蔵山  
(簡易型ダスト  
サンブラー)



No.	地点名	採取期間	核種濃度 (mBq/m <sup>3</sup> )														
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce				
7	南会津町 白島 (簡易型ダスト サンプル)	H29.4.11 ~ H29.4.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29.5.1 ~ H29.5.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29.6.6 ~ H29.6.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.051	ND	ND	ND
		H29.7.6 ~ H29.7.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29.8.3 ~ H29.8.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29.9.7 ~ H29.9.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29.10.3 ~ H29.10.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29.11.1 ~ H29.11.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29.12.4 ~ H29.12.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H30.1.9 ~ H30.1.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H30.2.5 ~ H30.2.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H30.3.6 ~ H30.3.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

(注) 1 「ND」：検出限界未満 「-」：欠測

2 上記の他、人工放射性核種は検出されなかった。

3 ろ紙の灰化処理せず、ろ紙を直接08容器で測定した。

4 <sup>134</sup>Cs及び<sup>137</sup>Csの検出限界値：簡易型ダストサンプル（1週間集じん）はおおむね0.04 mBq/m<sup>3</sup>以下である。

5-3-3 大気中水分のトリチウム濃度 (比較対照地点)

No.	地点名	採取期間	トリチウム濃度		備考
			大気中濃度 (mBq/m <sup>3</sup> )	(参考値) 捕集水濃度 (Bq/l)	
1	福島市 方木 <sup>ほろきだ</sup> 田	H29. 4. 3 ~ H29. 5. 1	6. 0	0. 98	大気中水分量 (g/m <sup>3</sup> ) 6. 1
		H29. 5. 1 ~ H29. 6. 1	6. 2	0. 61	10
		H29. 6. 1 ~ H29. 7. 3	14	1. 0	13
		H29. 7. 3 ~ H29. 8. 1	18	0. 91	20
		H29. 8. 1 ~ H29. 9. 1	ND	ND	18
		H29. 9. 1 ~ H29. 10. 2	6. 4	0. 49	13
		H29. 10. 2 ~ H29. 11. 1	ND	ND	10
		H29. 11. 1 ~ H29. 12. 1	ND	ND	5. 9
		H29. 12. 1 ~ H30. 1. 4 <sup>※</sup>	—	—	—
		H30. 1. 4 ~ H30. 2. 1	ND	ND	3. 6
		H30. 2. 1 ~ H30. 3. 1	ND	ND	3. 4
		H30. 3. 1 ~ H30. 4. 2	3. 3	0. 71	4. 7

(注) 「ND」：検出限界未満

「※」：平成29年12月1日～平成30年1月4日採取分については、試料損失の可能性があるため欠測

5-3-4 降下物の核種濃度 (比較対照地点)

No.	地点名	採取期間	核種濃度 (Bq/m <sup>2</sup> (WBq/km <sup>2</sup> ))													
			<sup>51</sup> Cr	<sup>54</sup> Mn	<sup>58</sup> Co	<sup>59</sup> Fe	<sup>60</sup> Co	<sup>95</sup> Zr	<sup>95</sup> Nb	<sup>106</sup> Ru	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>144</sup> Ce			
1	福島市 方米田	H29. 4. 3 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	45	ND	
		H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	26	ND	
		H29. 6. 1 ~ H29. 7. 3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.0	ND	
		H29. 7. 3 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.1	ND	
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.4	ND	
		H29. 9. 1 ~ H29. 10. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.1	ND	
		H29. 10. 2 ~ H29. 11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.0	ND	
		H29. 11. 1 ~ H29. 12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.3	ND	
		H29. 12. 1 ~ H30. 1. 4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.9	ND	
		H30. 1. 4 ~ H30. 2. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.1	ND	
		H30. 2. 1 ~ H30. 3. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.2	ND	
		H30. 3. 1 ~ H30. 4. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.7	41	ND
		H29. 4. 3 ~ H29. 5. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2	三春町 深作	H29. 5. 1 ~ H29. 6. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.88	ND	
		H29. 6. 1 ~ H29. 7. 3 <sup>*1</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	
		H29. 7. 3 ~ H29. 8. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		H29. 8. 1 ~ H29. 9. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.33	ND
		H29. 9. 1 ~ H29. 10. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.44	ND
		H29. 10. 2 ~ H29. 11. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.70	3.2	ND
		H29. 11. 1 ~ H29. 12. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		H29. 12. 1 ~ H30. 1. 4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.1	ND
		H30. 1. 4 ~ H30. 2. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.0	ND
		H30. 2. 1 ~ H30. 3. 1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.50	ND
		H30. 3. 1 ~ H30. 4. 2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.4	ND

(注) 1 「ND」: 検出限界未満 「/」: 対象外核種

2 上記の他、人工放射性核種は検出されなかった。

3 \*1 前処理中に、試料の損失があったため、欠測とする。残骸料の測定において、Cs-134はND、Cs-137は1.5Bq/m<sup>2</sup>であった。



5-4 試料採取時の付帯データ集  
(原子力発電所周辺等環境放射能測定)

1 上水

No.	採取地点名	採取年月日	気温 (°C)	水温 (°C)	p H
1	いわき市	H29. 4. 17	18.5	12.0	7.8
		H29. 7. 4	26.1	23.0	7.8
		H29.10. 3	27.2	22.0	7.6
		H30. 1. 5	7.8	7.5	7.5
2	田村市	H29. 4. 7	14.9	9.5	7.6
		H29. 7. 4	21.8	22.5	7.7
		H29.10. 3	23.8	24.0	7.7
		H30. 1. 5	2.5	5.5	7.2
3	広野町	H29. 4. 7	20.5	11.0	7.9
		H29. 7. 5	30.2	24.0	8.1
		H29.10. 4	22.2	20.0	7.6
		H30. 1. 12	10.4	6.5	7.9
4	檜葉町	H29. 4. 7	16.5	12.0	7.9
		H29. 7. 5	26.1	24.3	8.0
		H29.10. 4	27.8	21.0	7.8
		H30. 1. 12	4.1	6.0	7.8
5	富岡町	H29. 4. 17	15.3	14.2	7.8
		H29. 7. 5	28.6	22.8	7.8
		H29.10. 4	30.0	20.0	7.6
		H30. 1. 12	5.0	9.2	7.5
6	川内村	H29. 4. 7	16.3	14.5	8.0
		H29. 7. 4	23.6	18.6	8.0
		H29.10. 3	25.2	20.0	7.8
		H30. 1. 10	5.0	8.5	7.8
7	大熊町	—	—	—	—
		—	—	—	—
		—	—	—	—
		—	—	—	—
8	双葉町	—	—	—	—
		—	—	—	—
		—	—	—	—
9	浪江町	H29. 4. 6	21.0	14.0	7.8
		H29. 7. 5	29.1	26.0	7.7
		H29.10. 4	30.6	21.5	7.6
		H30. 1. 12	4.5	7.9	7.4
10	葛尾村	H29. 4. 7	16.6	14.3	7.8
		H29. 7. 6	27.5	21.8	7.9
		H29.10. 5	16.8	18.5	7.8
		H30. 1. 10	5.2	6.5	7.5
11	南相馬市	H29. 4. 6	16.8	13.5	7.7
		H29. 7. 5	24.3	24.5	7.5
		H29.10. 4	29.7	22.0	7.6
		H30. 1. 12	4.4	12.0	7.1
12	飯館村	H29. 4. 20	17.8	12.0	8.0
		H29. 7. 6	27.1	22.8	8.0
		H29.10. 5	15.0	19.0	7.9
		H30. 1. 10	2.4	3.0	7.8
13	川俣町	H29. 4. 7	18.5	13.5	7.9
		H29. 7. 6	26.3	23.0	7.9
		H29.10.26	27.8	13.5	7.8
		H30. 1. 10	5.0	2.1	7.5

## 2 海水

No.	採取地点名	採取年月日	気温 (°C)	水温 (°C)	p H	C <sub>0</sub> <sup>-</sup> (‰)
1	第一(発)南放水口付近	H29. 4. 20	13.3	9.4	8.2	19
		H29. 5. 16	15.0	14.1	8.2	18
		H29. 6. 13	15.0	14.8	8.2	17
		H29. 7. 10	20.0	19.8	8.1	18
		H29. 8. 18	24.0	24.0	8.2	16
		H29. 9. 14	22.0	21.7	8.1	18
		H29.10.17	15.0	17.9	8.1	19
		H29.11.14	14.0	15.1	8.3	20
		H29.12. 5	10.5	11.9	8.1	18
		H30. 1. 16	7.5	7.3	8.2	19
		H30. 2. 13	2.0	6.3	8.2	19
H30. 3. 13	9.5	7.6	8.2	18		
2	第一(発)北放水口付近	H29. 4. 20	13.0	9.6	8.2	18
		H29. 5. 16	14.0	13.9	8.2	18
		H29. 6. 13	14.9	15.0	8.2	18
		H29. 7. 10	20.0	19.2	8.1	18
		H29. 8. 18	24.0	23.4	8.2	16
		H29. 9. 14	22.0	21.7	8.1	18
		H29.10.17	15.0	17.7	8.1	18
		H29.11.14	14.0	15.2	8.3	18
		H29.12. 5	10.5	11.5	8.1	18
		H30. 1. 16	7.5	7.5	8.1	19
		H30. 2. 13	2.0	6.3	8.2	19
H30. 3. 13	11.0	7.5	8.1	18		
3	第一(発)取水口付近 (港湾出入口の外側)	H29. 4. 20	13.0	9.8	8.2	19
		H29. 5. 16	14.5	14.2	8.2	18
		H29. 6. 13	14.4	14.7	8.2	18
		H29. 7. 10	20.0	18.6	8.1	18
		H29. 8. 18	24.0	23.4	8.2	16
		H29. 9. 14	22.0	21.8	8.1	18
		H29.10.17	15.0	17.1	8.1	18
		H29.11.14	14.0	15.1	8.4	17
		H29.12. 5	11.5	11.6	8.1	17
		H30. 1. 16	7.0	7.4	8.1	19
		H30. 2. 13	2.0	6.1	8.2	19
H30. 3. 13	12.0	7.6	8.2	18		
4	第一(発)沖合 2 km	H29. 4. 20	11.1	9.4	8.2	18
		H29. 5. 16	14.0	13.8	8.2	18
		H29. 6. 13	14.2	14.9	8.2	18
		H29. 7. 10	21.0	19.4	8.1	18
		H29. 8. 18	23.0	23.3	8.2	16
		H29. 9. 14	22.0	21.7	8.1	18
		H29.10.17	15.0	17.8	8.1	18
		H29.11.14	14.0	15.1	8.4	19
		H29.12. 5	9.5	11.3	8.1	18
		H30. 1. 16	6.5	7.7	8.1	18
		H30. 2. 13	3.0	6.7	8.2	19
H30. 3. 13	8.0	7.5	8.2	18		
5	夫沢・熊川沖 2 km	H29. 4. 20	11.0	9.6	8.2	19
		H29. 5. 16	14.0	13.6	8.2	17
		H29. 6. 13	14.7	14.8	8.1	18
		H29. 7. 10	21.0	20.1	8.1	18
		H29. 8. 18	23.0	23.5	8.2	16
		H29. 9. 14	23.5	21.3	8.1	18
		H29.10.17	14.0	17.6	8.1	18
		H29.11.14	14.0	15.1	8.3	18
		H29.12. 5	10.0	11.6	8.1	18
		H30. 1. 16	7.0	7.2	8.0	18
		H30. 2. 13	3.0	6.8	8.1	19
H30. 3. 13	8.0	7.1	8.1	18		



6	双葉・前田川沖 2 km	H29. 4. 20	11. 1	9. 7	8. 2	18
		H29. 5. 16	13. 8	13. 8	8. 2	18
		H29. 6. 13	15. 0	15. 4	8. 2	18
		H29. 7. 10	21. 0	19. 3	8. 1	18
		H29. 8. 18	23. 0	23. 3	8. 2	16
		H29. 9. 14	22. 0	21. 8	8. 2	18
		H29. 10. 17	14. 5	17. 5	8. 1	18
		H29. 11. 14	14. 0	15. 1	8. 4	18
		H29. 12. 5	10. 0	11. 8	8. 1	18
		H30. 1. 16	6. 5	7. 5	8. 1	18
		H30. 2. 13	3. 0	6. 6	8. 2	19
		H30. 3. 13	8. 0	7. 4	8. 2	18
		7	第二(発)南放水口	H29. 5. 10	15. 5	12. 0
H29. 8. 21	26. 0			24. 0	7. 7	18
H29. 11. 8	18. 4			16. 0	7. 3	18
H30. 2. 8	6. 4			6. 4	8. 1	18
8	第二(発)北放水口	H29. 5. 10	15. 0	13. 0	8. 2	19
		H29. 8. 21	27. 4	24. 0	7. 7	17
		H29. 11. 8	16. 2	16. 6	7. 5	18
		H30. 2. 8	5. 0	5. 0	8. 1	18

(比較対照地点環境放射能測定)

1 上水

No.	採取地点名	採取年月日	気温 (°C)	水温 (°C)	p H
1	福島市	H29. 4. 14	19. 8	8. 3	7. 4
2	会津若松市	H29. 4. 11	10. 0	11. 5	7. 2

2 海水

No.	採取地点名	採取年月日	気温 (°C)	水温 (°C)	p H	Cl <sup>-</sup> (‰)
1	相馬市松川浦沖	H29. 9. 27	24. 5	23. 0	8. 1	18