

(3) 取水口									
採取日	核種濃度 (Bq/L ※PuはmBq/L)								
	全β放射能	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>3</sup> H			<sup>90</sup> Sr	<sup>238</sup> Pu	<sup>239+240</sup> Pu
				減圧蒸留法	迅速分析	電解濃縮法			
H1. 6. 14	ND	ND	ND	0.66					
H1. 10. 24	0.03	ND	ND	1.5					
H2. 7. 3	ND	ND	ND	ND					
H2. 11. 2	ND	ND	ND	1.0					
H3. 6. 20	ND	ND	ND	ND					
H3. 11. 7	ND	ND	ND	ND					
H4. 6. 26	0.01	ND	ND	0.74					
H4. 10. 29	ND	ND	ND	1.0					
H5. 6. 25	0.01	ND	ND	ND					
H5. 10. 22	ND	ND	ND	ND					
H6. 6. 7	ND	ND	0.003	ND					
H6. 11. 5	0.01	ND	0.002	ND					
H7. 6. 6	0.01	ND	0.003	ND					
H7. 10. 4	0.01	ND	0.003	ND					
H8. 6. 6	0.04	ND	0.003	ND					
H8. 10. 4	0.02	ND	0.003	ND					
H9. 6. 5	ND	ND	0.002	0.60					
H9. 10. 9	0.02	ND	ND	ND					
H10. 6. 5	0.01	ND	0.002	ND					
H10. 10. 13	ND	ND	0.001	0.50					
H11. 5. 26	0.01	ND	0.002	ND					
H11. 10. 12	0.01	ND	ND	ND					
H12. 5. 30	ND	ND	0.003	1.3					
H12. 10. 10	ND	ND	0.003	ND					
H13. 5. 18	ND	ND	0.001	ND					
H13. 10. 16	0.02	ND	0.002	0.58					
H14. 5. 20	ND	ND	0.002	ND					
H14. 10. 25	0.02	ND	0.001	ND					
H15. 5. 21	ND	ND	ND	ND					
H15. 10. 20	ND	ND	0.002	ND					
H16. 5. 19	0.02	ND	ND	ND					
H16. 10. 28	0.02	ND	ND	ND					
H17. 5. 23	ND	ND	ND	ND					
H17. 10. 26	0.01	ND	ND	ND					
H18. 5. 17	0.01	ND	0.001	ND					
H18. 10. 12	0.02	ND	0.002	ND					
H19. 5. 16	0.02	ND	0.001	ND					
H19. 10. 10	0.01	ND	0.002	0.46					
H20. 5. 16	0.01	ND	0.001	0.37					
H20. 10. 17	ND	ND	ND	ND					
H21. 5. 15	0.01	ND	0.001	ND					
H21. 10. 13	ND	ND	0.001	ND					
H22. 5. 21	ND	ND	ND	ND					
H22. 10. 7	ND	ND	0.001	ND					
H23. 4. 1	欠測	欠測	欠測	欠測					
H23. 10. 1	欠測	欠測	欠測	欠測					
H25. 7. 31	0.02	ND	ND	ND		0.015	ND	ND	
H25. 8. 19	1.7	0.29	0.75	3.0		2.9	ND	ND	
H25. 9. 19	0.74	0.96	2.0	4.9		0.95	ND	ND	
H25. 10. 5	0.02	ND	0.073	0.53		0.005	ND	ND	
H25. 10. 30	1.2	0.47	1.1	6.2		1.6	ND	ND	
H25. 11. 12	0.07	0.083	0.21	0.40		0.1	ND	0.006	
H25. 12. 9	0.15	0.15	0.32	0.76		0.22	ND	ND	
H26. 1. 14	0.18	0.12	0.33	0.80		0.21	ND	ND	
H26. 2. 3	0.68	0.54	1.3	3.4		1.1	ND	0.006	
H26. 3. 10	0.07	ND	0.15	ND		0.046	ND	0.01	
H26. 4. 14	0.03	ND	ND	ND		0.003	ND	0.008	
H26. 5. 19	0.05	ND	ND	ND		0.005	ND	ND	
H26. 6. 16	0.03	ND	ND	ND		0.003	ND	ND	
H26. 7. 7	0.38	0.24	0.72	2.6		0.66	ND	ND	
H26. 8. 20	0.19	0.12	0.25	1.1		0.26	ND	ND	
H26. 9. 16	0.23	0.35	0.94	2.5		0.4	ND	ND	
H26. 10. 20	0.08	0.11	0.33	0.61		0.12	ND	ND	
H26. 11. 10	0.17	0.13	0.36	1.7		0.14	ND	ND	
H26. 12. 8	0.05	ND	ND	ND		0.008	ND	ND	
H27. 1. 14	0.12	ND	0.082	ND		0.052	ND	ND	
H27. 2. 10	0.18	0.097	0.16	0.59		0.47	ND	ND	
H27. 3. 3	0.14	0.079	0.23	1.4		0.23	ND	ND	
H27. 4. 22	0.02	ND	ND	ND		0.002	ND	ND	
H27. 5. 18	0.02	ND	ND	ND		0.002	ND	ND	
H27. 6. 16	0.03	ND	ND	ND		0.008	ND	ND	
H27. 7. 21	0.37	0.22	0.83	2.6		0.68	ND	ND	
H27. 8. 17	0.19	0.13	0.48	1.1		0.46	ND	ND	

(3) 取水口									
採取日	核種濃度 (Bq/L ※PuはmBq/L)								
	全β放射能	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>3</sup> H			<sup>90</sup> Sr	<sup>238</sup> Pu	<sup>239+240</sup> Pu
				減圧蒸留法	迅速分析	電解濃縮法			
H27. 9. 14	0.03	ND	0.087	ND			0.002	ND	ND
H27. 10. 13	0.19	0.1	0.46	2.1			0.27	ND	ND
H27. 11. 17	0.02	ND	0.07	ND			0.01	ND	0.007
H27. 12. 14	0.06	ND	0.081	ND			0.003	ND	0.012
H28. 1. 22	0.04	ND	ND	ND			0.002	ND	0.007
H28. 2. 8	0.04	ND	0.15	0.63			0.014	ND	ND
H28. 3. 3	0.04	ND	0.12	ND			0.005	ND	0.01
H28. 4. 20	0.03	0.003	0.013	ND			0.0011	ND	ND
H28. 5. 16	0.02	0.006	0.031	ND			0.0013	ND	0.01
H28. 6. 15	0.02	0.002	0.015	ND			0.0009	ND	ND
H28. 7. 11	ND	ND	0.011	ND			ND	ND	ND
H28. 8. 3	0.02	ND	0.01	ND			0.0005	ND	ND
H28. 9. 15	0.12	0.2	1.1	0.55			0.087	ND	ND
H28. 10. 18	0.03	0.005	0.032	ND			0.0006	ND	ND
H28. 11. 15	0.03	0.038	0.22	0.65			0.013	ND	ND
H28. 12. 12	0.03	0.021	0.13	ND			0.0056	ND	ND
H29. 1. 20	0.03	0.006	0.034	ND			0.0026	ND	0.008
H29. 2. 14	0.03	0.038	0.24	ND			0.0091	ND	ND
H29. 3. 7	0.04	0.004	0.025	ND			0.0013	ND	0.007
H29. 4. 20	0.03	0.021	0.15	ND			0.0071	ND	ND
H29. 5. 16	0.03	0.011	0.08	ND			0.0067	ND	0.009
H29. 6. 13	0.02	ND	0.006	ND			0.0007	ND	ND
H29. 7. 10	0.05	0.016	0.12	ND			0.005	ND	ND
H29. 8. 18	0.03	0.009	0.067	0.58			0.0085	ND	ND
H29. 9. 14	0.02	ND	0.008	ND			0.0011	ND	ND
H29. 10. 17	0.02	ND	0.012	ND			0.0011	ND	ND
H29. 11. 14	0.02	0.003	0.022	ND			0.002	ND	ND
H29. 12. 5	0.03	0.018	0.14	0.43			0.01	ND	ND
H30. 1. 16	0.02	0.002	0.024	0.45			0.0019	ND	ND
H30. 2. 13	0.03	ND	0.008	ND			0.0011	ND	0.005
H30. 3. 13	0.02	0.013	0.12	ND			0.017	ND	ND
H30. 4. 20	0.02	ND	0.01	ND			0.0007	ND	ND
H30. 5. 16	0.02	0.008	0.086	ND			0.013	ND	ND
H30. 6. 14	0.03	0.008	0.071	ND			0.01	ND	0.007
H30. 7. 10	0.02	ND	0.007	ND			0.0008	ND	ND
H30. 8. 19	0.03	0.003	0.045	ND			0.0012	ND	ND
H30. 9. 13	0.03	0.031	0.34	0.66			0.013	ND	0.008
H30. 10. 5	0.02	0.012	0.14	0.44			0.01	ND	0.003
H30. 11. 14	0.02	ND	0.016	ND			0.0008	ND	0.009
H30. 12. 11	0.02	0.004	0.032	ND			0.0011	ND	ND
H31. 1. 17	0.03	ND	0.02	ND			0.0008	ND	ND
H31. 2. 13	0.02	ND	0.031	ND			0.0012	ND	0.007
H31. 3. 18	0.03	ND	0.02	ND			0.0011	ND	ND
H31. 4. 17	0.03	ND	0.032	ND			0.0012	ND	0.009
R1. 5. 10	0.02	ND	0.006	ND			0.0006	ND	ND
R1. 6. 4	0.03	0.006	0.066	ND			0.0026	ND	0.009
R1. 7. 2	0.02	0.028	0.38	0.51			0.013	ND	ND
R1. 8. 1	0.02	0.014	0.18	0.51			0.0047	ND	ND
R1. 9. 20	0.02	0.023	0.33	0.66			0.010	ND	ND
R1. 10. 2	0.03	0.008	0.15	0.83			0.0034	ND	ND
R1. 11. 21	0.02	0.003	0.048	ND			0.0014	ND	ND
R1. 12. 11	0.02	0.009	0.14	0.82			0.0045	ND	ND
R2. 1. 8	0.05	0.012	0.17	0.89			0.0051	ND	ND
R2. 2. 4	0.03	0.003	0.046	ND			0.0010	ND	0.010
R2. 3. 12	0.03	ND	0.026	ND			0.0013	ND	ND
R2. 4. 22	0.04	ND	0.021	ND			0.0009	ND	0.007
R2. 5. 14	0.03	0.003	0.054	0.39			0.0029	ND	ND
R2. 6. 2	0.02	0.004	0.065	ND			0.0025	ND	0.009
R2. 7. 3	0.02	ND	0.006	ND			0.0006	ND	ND
R2. 8. 6	0.03	ND	0.009	ND			0.0006	ND	ND
R2. 9. 11	0.03	ND	0.005	ND			0.0010	ND	ND
R2. 10. 20	0.02	ND	0.011	ND			0.0009	ND	ND
R2. 11. 12	0.03	ND	0.017	ND			0.0008	ND	ND
R2. 12. 4	0.03	ND	0.032	ND			0.0009	ND	ND
R3. 1. 7	0.04	0.004	0.056	ND			0.0020	ND	ND
R3. 2. 12	0.04	ND	0.030	ND			0.0011	ND	0.014
R3. 3. 4	0.03	0.003	0.098	ND			0.0072	ND	0.018
R3. 4. 20	0.02	0.008	0.019	0.46			0.0096	ND	0.011
R3. 5. 12	0.02	ND	0.022	ND			0.0015	ND	ND
R3. 6. 3	0.02	ND	0.048	ND			0.0030	ND	0.007
R3. 7. 6	0.02	ND	0.010	ND			0.0012	ND	ND
R3. 8. 4	0.01	0.004	0.12	0.34			0.0046	ND	0.008
R3. 9. 2	0.03	0.010	0.31	1.4			0.035	ND	ND

(3) 取水口									
採取日	核種濃度 (Bq/L ※PuはmBq/L)								
	全β放射能	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>3</sup> H			<sup>90</sup> Sr	<sup>238</sup> Pu	<sup>239+240</sup> Pu
				減圧蒸留法	迅速分析	電解濃縮法			
R3. 10. 15	0.02	0.006	0.12	ND			0.0076	ND	0.009
R3. 11. 4	0.01	ND	0.067	0.46			0.0051	ND	0.009
R3. 12. 14	0.02	ND	0.020	ND			0.0008	ND	ND
R4. 1. 13	0.02	0.002	0.054	ND			0.0016	ND	0.007
R4. 2. 3	0.02	0.002	0.067	ND			0.0016	ND	ND
R4. 3. 3	0.02	ND	0.063	ND			0.0014	ND	0.009
R4. 4. 13	0.02	ND	0.016	ND			0.0016	ND	ND
R4. 5. 19	0.02	ND	0.16	0.62		0.66	0.012	ND	0.010
R4. 6. 19	0.02	ND	0.013	ND			0.0019	ND	ND
R4. 7. 5	0.02	ND	0.007	ND			0.0008	ND	ND
R4. 8. 2	0.01	ND	0.004	ND		0.09	0.0007	ND	ND
R4. 9. 13	0.02	ND	0.073	0.61			0.0025	ND	ND
R4. 10. 21	0.02	ND	0.10	0.55			0.015	ND	0.009
R4. 11. 8	0.02	ND	0.13	0.58		0.56	0.0051	ND	0.014
R4. 12. 9	0.05	ND	0.012	ND			0.0014	ND	ND
R5. 1. 13	0.06	ND	0.042	ND			0.0012	ND	ND
R5. 2. 7	0.06	ND	0.010	ND		0.05	0.0011	ND	0.012
R5. 3. 7	0.02	ND	0.070	0.51			0.0025	ND	0.007
R5. 4. 25	0.02	ND	0.006	ND			0.0008	ND	ND
R5. 5. 10	0.02	0.003	0.14	ND		0.21	0.012	ND	0.007
R5. 6. 7	0.02	0.003	0.12	0.39			0.0072	ND	0.011
R5. 7. 11	0.02	ND	0.16	ND			0.0011	ND	ND
R5. 8. 8	0.02	ND	0.055	0.46		0.20	0.0018	ND	ND
R5. 8. 25					ND				
R5. 8. 30					ND				
R5. 9. 3	0.01	ND	0.004		ND	0.09	ND	ND	ND
R5. 9. 12					ND				
R5. 9. 19					ND				
R5. 9. 26					ND				
R5. 10. 8					ND				
R5. 10. 12	0.02	0.003	0.12		ND	0.25	0.0032	ND	ND
R5. 10. 20					ND				
R5. 10. 24					ND				
R5. 11. 3					ND				
R5. 11. 9	0.02	ND	0.072		ND	0.47	0.0030	ND	ND
R5. 11. 14					ND				
R5. 11. 22					ND				
R5. 11. 28					ND				
R5. 12. 5	0.02	ND	0.019		ND	0.14	0.0010	ND	ND
R5. 12. 15					ND				
R5. 12. 20					ND				
R6. 1. 10					ND				
R6. 1. 18	0.02	ND	0.012		ND	0.09	0.0015	ND	ND
R6. 1. 31					ND				
R6. 2. 9	0.02	ND	0.011		ND	0.08	0.0009	ND	ND
R6. 2. 15					ND				
R6. 3. 15	0.02	ND	0.088		ND	0.53	0.0071	ND	0.008
R6. 4. 12	0.02	ND	0.093		ND	0.14	0.0066	ND	ND